Index to volume 42

Author index*

A

Abeck D, Schmidt T, Fesq H, Strom K, Mempel M, Brockow K, Ring J. Long-term efficacy of medium-dose UVA1 phototherapy in atopic dermatitis. 2000;42:254-7 (Therapy)

Abernethy JL (*see* Zirwas et al). 2000;42:867-8 (Case rep.)

Ackerman AB (*see* Brand and Ackerman). 2000;42:523-6 (Opinion)

Acland KM, O'Doherty MJ, Russell-Jones R. The value of positron emission tomography scanning in the detection of subclinical metastatic melanoma. 2000;42:606-11

Adachi M (*see* Nakamura et al). 2000;42:1021-5

Adams BB, Chetty VB, Mutasim DF. Periorbital comedones and their relationship to pitch tar: a cross-sectional analysis and a review of the literature. 2000;42:624-7

Adams BB and Gloster HM. Double nicking of Mohs tissue specimen. 2000;42:1067-8 (Pearls)

Adams BB (*see* Mutasim and Adams). 2000;42:159-74 (CME article)

Adler YD (*see* Blume-Peytavi et al). 2000;42:633-9

Afonso A (*see* Santos et al). 2000;42:299-301 (Brief rep.)

Agache P (*see* Maddin et al). 2000;42:56-63

Ahmad W (*see* Blume-Peytavi et al). 2000;42:633-9

Ahmed I, Cronk JS, Crutchfield CE III, Dahl MV. Myeloma-associated systemic amyloidosis presenting as chronic paronychia and palmodigital erythematous swelling and induration of the hands. 2000;42:338-42 (Case rep.)

Akaraphanth R, Douglass MC, Lim HW. Hypopigmented mycosis fungoides: treatment and a 6½-year follow-up of 9 patients. 2000;42:33-9

Akasya E (*see* Özkaya-Bayazit et al). 2000;42:329-31 (Case rep.)

Albers SE, Taylor G, Huyer D, Oliver G, Krafchik BR. Vulvitis circumscripta plasmacellularis mimicking child abuse. 2000;42:1078-80 (Brief rep.)

Albert MR and Mackool BT. A dermatology ward at the beginning of the 20th century. 2000;42:113-23 (Special article)

Al Eisa A (*see* Alfadley et al). 2000;42:875-8 (Case rep.)

Alfadley A, Al Hoqail I, Al Eisa A. Scleromyxedema: possible association with seminoma. 2000;42:875-8 (Case rep.)

Al Hoqail I (*see* Alfadley et al). 2000;42:875-8 (Case rep.)

Aloi F, Tomasini C, Soro E, Pippione M. The clinicopathologic spectrum of rhinophyma. 2000;42:468-72

Alomar A (*see* Pujol et al). 2000;42:193-8

Alora MB and Dover JS. Spontaneous bullae over laser resurfaced skin. 2000;42:288-90 (Brief rep.)

Alora MBT (*see* Bykowski et al). 2000;42:784-6

Al-Suwaidan SN and Feldman SR. Clearance is not a realistic expectation of psoriasis treatment. 2000;42:796-802 (Therapy)

Altman DJ (*see* Fleischer et al). 2000;42:459-67

Altman E (*see* Levit et al). 2000;42:269-74 (Clin. rev.)

Amagai M (*see* Ishii et al). 2000;42:859-61 (Case rep.)

Amonette RA (*see* Robinson et al). 2000;42:746-53

Anderson RR (*see* Asawanonda et al). 2000;42:660-6 (Derm. surgery)

Anderson RR (*see* Hongcharu et al). 2000;42:214-16

Anderson RR (*see* Ross et al). 2000;42:92-105 (Derm. surgery)

Andreassi L (*see* Fimiani et al). 2000;42:1088 (Letter reply)

Arbeit J (*see* Arbiser et al). 2000;42:973-7

Arbiser JL, Byers HR, Cohen C, Arbeit J. Altered basic fibroblast growth factor expression in common epidermal neoplasms: examination with in situ hybridization and immunohistochemistry. 2000;42:973-7

Archer CB (*see* Bower et al). 2000;42:988-91

Arndt KA (*see* Bykowski et al). 2000;42:784-6

Aronson IK. Follicular lesions in polymorphic eruption of pregnancy. 2000;42:146 (Letter reply)

Asahina A (*see* Nakamura et al). 2000;42:1021-5

Asawanonda P, Anderson RR, Taylor CR. Pendulaser carbon dioxide resurfacing laser versus electrodesiccation with curettage in the treatment of isolated, recalcitrant psoriatic plaques. 2000;42:660-6 (Derm. surgery)

Avinoach I (*see* Naimer et al). 2000;42:442-5

Azzam H (*see* Bergman et al). 2000;42:496-500 (Dermatopathology)

B

Babapour R (*see* Torno et al). 2000;42:351-4 (Case rep.)

Bacellar F (*see* Santos et al). 2000;42:299-301 (Brief rep.)

Bader RS and Scarborough DA. Surgical pearl: intralesional electrodesiccation of sebaceous hyperplasia. 2000;42:127-8 (Pearls)

Bähren W (*see* Gottlöber et al). 2000;42:453-8

Ballona R (*see* Cáceres-Ríos et al). 2000;42:85-8 (Therapy)

Bamford JTM, Tilden RL, Gangeness DE. Does *Helicobacter pylori* eradication treatment reduce the severity of rosacea? 2000;42:535 (Letter)

Barnette DJ (*see* Ross et al). 2000;42:92-105 (Derm. surgery)

Baron JM (*see* Dragan et al). 2000;42:872-4 (Case rep.)

Barzilai A, Langevitz P, Goldberg I, Kopolovic J, Livneh A, Pras M, Trau H. Erysipelas-like erythema of familial Mediterranean fever: clinicopathologic correlation. 2000;42:791-5

Bauer EA (*see* Fine et al). 2000;42:1051-66 (Special rep.)

Bauer R (*see* Gottlieb et al). 2000;42:428-35

Baughman RD (*see* Checketts et al). 2000;42:907-13 (Case rep.)

Baykal C (*see* Özkaya-Bayazit et al). 2000;42:329-31 (Case rep.)

Bazex J (*see* Schwarze et al). 2000;42:888-91 (Case rep.)

Beck MH (*see* Lyon et al). 2000;42:501-7 (Clin. rev.), 2000;42:992-1002

Bedane C (*see* Boulinguez et al). 2000;42:146-7 (Letter)

Behrens S, Grundmann-Kollmann M, Schiener R, Peter R-U, Kerscher M. Combination phototherapy of psoriasis with narrow-band UVB irradiation and topical tazarotene gel. 2000;42:493-5 (Therapy)

Behrens S, Leiter U, Grundmann-Kollmann M, Peter R-U, Kerscher M. Phototoxicity profile of PUVA-oil bath therapy. 2000;42:698 (Letter)

Behrens S (*see* Grundmann-Kollmann et al). 2000;42:135-6 (Brief rep.)

Beissert S, Ständer H, Schwarz T. UVA rush hardening for the treatment of solar urticaria. 2000;42:1030-2 (Therapy)

Ben-Itzhak O (*see* Bergman et al). 2000;42:496-500 (Dermatopathology)

Berg D (*see* Gladstone et al). 2000;42:106-12 (Derm. surgery)

Berger TG (*see* Rodwell et al). 2000;42:727-30

Bergfeld WF (*see* Elston et al). 2000;42:306-7 (Letter reply)

Bergfeld WF (*see* Schumann et al). 2000;42:923-6 (Case rep.)

Bergman R, Azzam H, Sprecher E, Manov L, Munichor M, Friedman-Birnbaum R, Ben-Itzhak O. A comparative immunohistochemical study of MART-1 expression in Spitz nevi, ordinary melanocytic nevi, and malignant melanomas. 2000;42:496-500 (Dermatopathology)

*January, part 1, pp. 1-158; January, part 2, pp. S1-S30; February, part 1, pp. 159-308; February, part 2, pp. 309-88; March, pp. 389-548; April, pp. 549-704; May, part 1, pp. 705-858; May, part 2, pp. 859-938; June, pp. 939-1116.

Bergman R (*see* Sprecher et al). 2000;42:978-82
Berkley J (*see* Gladstone et al). 2000;42:106-12 (Derm. surgery)
Bernadó L (*see* Pujol et al). 2000;42:324-8 (Case rep.)
Bernhard JD. Prurit*s. 2000;42:699 (Letter reply)
Bernhard JD (*see* Lebwohl and Bernhard). 2000;42:696-7 (Editorial)
Bezold G (*see* Gottlöber et al). 2000;42:453-8
Billingsley EM (*see* Cowen et al). 2000;42:374-7 (Case rep.)
Bisaccia E (*see* Gonzalez et al). 2000;42:927-8 (Case rep.)
Biton A (*see* Naimer et al). 2000;42:442-5
Black MM (*see* Creamer et al). 2000;42:903-6 (Case rep.)
Blanco A (*see* Pujol et al). 2000;42:324-8 (Case rep.)
Blume-Peytavi U, Adler YD, Geilen CC, Ahmad W, Christiano A, Goerdt S, Orfanos CE. Multiple familial cutaneous glomangioma: a pedigree of 4 generations and critical analysis of histologic and genetic differences of glomus tumors. 2000;42:633-9
Boehncke W-H (*see* Grundmann-Kollmann et al). 2000;42:835-7 (Brief rep.)
Bonnetblanc JM (*see* Boulinguez et al). 2000;42:146-7 (Letter)
Bono R (*see* Monticone et al). 2000;42:787-90
Boonstra HE, van Weelden H, Toonstra J, van Vloten WA. Polymorphous light eruption: a clinical, photobiologic, and follow-up study of 110 patients. 2000;42:199-207
Bordes R (*see* Pujol et al). 2000;42:324-8 (Case rep.)
Borrego L. Follicular lesions in polymorphic eruption of pregnancy. 2000;42:146 (Letter)
Bos JD (*see* Njoo et al). 2000;42:245-53 (Therapy)
Boulinguez S, Sparsa A, Bouyssou-Gauthier ML, Bedane C, Bonnetblanc JM. Adverse effects with EMLA cream used as topical anesthetic for the mechanical debridement of leg ulcers. 2000;42:146-7 (Letter)
Bouyssou-Gauthier ML (*see* Boulinguez et al). 2000;42:146-7 (Letter)
Bower CPR, Lear JT, Bygrave S, Etherington D, Harvey I, Archer CB. Basal cell carcinoma and risk of subsequent malignancies: a cancer registry–based study in southwest England. 2000;42:988-91
Bradford C (*see* Johnson et al). 2000;42:820-6 (Special rep.)
Brand D and Ackerman AB. Squamous cell carcinoma, not basal cell carcinoma, is the most common cancer in humans. 2000;42:523-6 (Opinion)
Braun RP, Meier M-L, Pelloni F, Ramelet AA, Schilling M, Tapernoux B, Thürlimann W, Saurat J-H, Krischer J. Teledermatoscopy in Switzerland: a preliminary evaluation. 2000;42:770-5
Bräutigam M (*see* Czech et al). 2000;42:653-9 (Therapy)
Breit R (*see* Neumann et al). 2000;42:183-92
Bridges AG (*see* Mutasim and Bridges). 2000;42:417-21
Briggaman RA (*see* Fine et al). 2000;42:1051-66 (Special rep.)
Bright R (*see* Gottlieb et al). 2000;42:428-35
Bröcker E-B (*see* Döpp et al). 2000;42:577-83
Brockow K (*see* Abeck et al). 2000;42:254-7 (Therapy)
Brodell RT (*see* Helms and Brodell). 2000;42:508-9 (Pearls)
Brodersen JP (*see* Schommer et al). 2000;42:290-2 (Brief rep.)
Bruckbauer H (*see* Darsow et al). 2000;42:292-4 (Brief rep.)
Bruckner-Tuderman L (*see* Fine et al). 2000;42:1051-66 (Special rep.)
Bulger L (*see* Maddin et al). 2000;42:56-63
Burg G (*see* Schmid-Grendelmeier et al). 2000;42:833-5 (Brief rep.)
Burkhart CG and Burkhart CN. Melanoma and pesticides: is there a connection? 2000;42:302-3 (Ideas)
Burkhart CN (*see* Burkhart and Burkhart). 2000;42:302-3 (Ideas)
Burnside N (*see* Rodrigues et al). 2000;42:735-40
Burrows L (*see* Maddin et al). 2000;42:56-63
Burrows PE (*see* Enjolras et al). 2000;42:225-35
Bustamante B (*see* Cáceres-Ríos et al). 2000;42:85-8 (Therapy)
Büyükbabani N (*see* Özkaya-Bayazit et al). 2000;42:329-31 (Case rep.)
Byers HR (*see* Arbiser et al). 2000;42:973-7
Bygrave S (*see* Bower et al). 2000;42:988-91
Bykowski JL, Alora MBT, Dover JS, Arndt KA. Accessibility and reliability of cutaneous laser surgery information on the World Wide Web. 2000;42:784-6
Bystryn J-C (*see* Herbst and Bystryn). 2000;42:422-7

C

Cáceres-Ríos H, Rueda M, Ballona R, Bustamante B. Comparison of terbinafine and griseofulvin in the treatment of tinea capitis. 2000;42:85-8 (Therapy)
Callen JP. Introductory remarks. 2000;42:S2-3
Callen JP. Panel discussion and concluding remarks. 2000;42:S29-30
Callen JP. Statement on actinic keratoses. 2000;42:S1
Callen JP (*see* Klein and Callen). 2000;42:316-23 (Case rep.)
Calobrisi SD (*see* High et al). 2000;42:776-83
Calonje E (*see* Creamer et al). 2000;42:903-6 (Case rep.)
Cardoso J (*see* Santos et al). 2000;42:299-301 (Brief rep.)
Cardoso O (*see* Santos et al). 2000;42:299-301 (Brief rep.)
Carruthers A (*see* Madani et al). 2000;42:814-19 (Derm. surgery)
Caughman SW (*see* Pharis et al). 2000;42:932-5 (Case rep.)
Caux F (*see* Mascaró et al). 2000;42:309-15 (Case rep.)
Cerenko D (*see* Pharis et al). 2000;42:932-5 (Case rep.)
Chan HL. Dermatomyositis and cancer: East and West. 2000;42:699-700 (Letter)
Chang A (*see* Johnson et al). 2000;42:820-6 (Special report)
Charlton F (*see* Turner et al). 2000;42:476-9
Chauvin PJ (*see* Tremblay et al). 2000;42:844-6 (Brief rep.)
Checketts SR, Hamilton TK, Baughman RD. Congenital and childhood dermatofibrosarcoma protuberans: a case report and review of the literature. 2000;42:907-13 (Case rep.)
Chen D (*see* Katta et al). 2000;42:688-92 (Brief rep.)
Chetty VB (*see* Adams et al). 2000;42:624-7
Chiarelli TG, Grant-Kels JM, Sporn JR, Rezuke WN, Whalen JD. Unusual presentation of Merkel cell carcinoma. 2000;42:366-70 (Case rep.)
Chimanovitch I (*see* Döpp et al). 2000;42:577-83
Christenson L, Patterson J, Davis D. Surgical pearl: use of the cutaneous punch for the removal of lipomas. 2000;42:675-6 (Pearls)
Christiano A (*see* Blume-Peytavi et al). 2000;42:633-9
Christiano A (*see* Fine et al). 2000;42:1051-66 (Special rep.)
Chuang T-Y (*see* Harris et al). 2000;42:1012-6
Chun Y-S (*see* Hann et al). 2000;42:589-96
Clayton AS (*see* Elston et al). 2000;42:1076-7 (Brief rep.)
Cockerell CJ. Histopathology of incipient intraepidermal squamous cell carcinoma ("actinic keratosis"). 2000;42:S11-17
Cockerell CJ (*see* Kelley and Cockerell). 2000;42:527-30 (For discussion)
Cognetta AB (*see* Schiffner et al). 2000;42:25-32
Cohen C, Turner M, Stratakis CA. Pigmented lesions of the conjunctiva in Carney's complex. 2000;42:145 (Letter)
Cohen C (*see* Arbiser et al). 2000;42:973-7
Cohen JL (*see* Shieh et al). 2000;42:645-52 (Therapy)
Cohn BA. From sunlight to actinic keratosis to squamous cell carcinoma. 2000;42:143-4 (Commentary)
Colby SI (*see* Fleischer et al). 2000;42:459-67
Colonna L (*see* Monticone et al). 2000;42:787-90
Colven R (*see* Dank and Colven). 2000;42:129-31 (Brief rep.)
Connell BO (*see* Lenane et al). 2000;42:640-4
Connolly SB, Lewis EJ, Lindholm JS, Zelickson BD, Zachary CB, Tope WD. Management of cutaneous verruciform xanthoma. 2000;42:343-7 (Case rep.)

Cook T (*see* Hu et al). 2000;42:473-5
The Cooperative Group on Fogo Selvagem Research (*see* Reis et al). 2000;42:571-6
Cosset JM (*see* Gottlöber et al). 2000;42:453-8
Council of Medical Specialty Societies. Consensus statement on the ethic of medicine. 2000;42:124-6 (From the Academy)
Cowen EW, Helm KF, Billingsley EM. An unusually aggressive trichoblastoma. 2000;42:374-7 (Case rep.)
Creamer D, Black MM, Calonje E. Reactive angioendotheliomatosis in association with the antiphospholipid syndrome. 2000;42:903-6 (Case rep.)
Cribier B, Scrivener Y, Grosshans E. Tumors arising in nevus sebaceus: a study of 596 cases. 2000;42:263-8 (Dermatopathology)
Cronk JS (*see* Ahmed et al). 2000;42:338-42 (Case rep.)
Crutchfield CE, III (*see* Ahmed et al). 2000;42:338-42 (Case rep.)
Czarnecki D and Meehan CJ. Is the incidence of malignant melanoma decreasing in young Australians? 2000;42:672-4 (Clin. rev.)
Czech W, Bräutigam M, Weidinger G, Schöpf E. A bodyweight–independent dosing regimen of cyclosporine microemulsion is effective in severe atopic dermatitis and improves the quality of life. 2000;42:653-9 (Therapy)

D

Dabhah K (*see* Sprecher et al). 2000;42:978-82
Dahl MV (*see* Ahmed et al). 2000;42:338-42 (Case rep.)
Dank JP and Colven R. Protease inhibitor-associated angiolipomatosis. 2000;42:129-31 (Brief rep.)
Darsow U, Bruckbauer H, Worret W-I, Hofmann H, Ring J. Subcutaneous oleomas induced by self-injection of sesame oil for muscle augmentation. 2000;42:292-4 (Brief rep.)
Das KM (*see* Oh et al). 2000;42:829-30 (Brief rep.)
Daudén E (*see* Vargas-Díez et al). 2000;42:511-13 (Brief rep.)
D'Avanzo B (*see* Naldi et al). 2000;42:446-52
Davis D (*see* Christenson et al). 2000;42:675-6 (Pearls)
Davis-Reed L and Theis JH. Cutaneous schistosomiasis: report of a case and review of the literature. 2000;42:678-80 (Brief rep.)
De Aloe G (*see* Fimiani et al). 2000;42:1088 (Letter reply)
Dedrick R (*see* Gottlieb et al). 2000;42:428-35
de la Torre C (*see* García-Doval et al). 2000;42:862-4 (Case rep.)
Delescluse J (*see* Ghislain et al). 2000;42:848 (Letter)
Demitsu T, Nagato H, Nishimaki K, Okada O, Kubota T, Yoneda K, Manabe M. Melanoma in situ of the penis. 2000;42:386-8 (Case rep.)
Depigmenting Solution Study Group (*see* Fleischer et al). 2000;42:459-67
Desai R (*see* Harris et al). 2000;42:1012-6
Diaz LA (*see* Mascaró et al). 2000;42:309-15 (Case rep.)
Diaz LA (*see* Reis et al). 2000;42:571-6
DiLandro A (*see* Naldi et al). 2000;42:446-52
Dinehart SM. The treatment of actinic keratoses. 2000;42:S25-8
Dinet Y (*see* Ghislain et al). 2000;42:848 (Letter)
Domingo P (*see* Pujol et al). 2000;42:193-8
Döpp R, Schmidt E, Chimanovitch I, Leverkus M, Bröcker E-B, Zillikens D. IgG4 and IgE are the major immunoglobulins targeting the NC16A domain of BP180 in bullous pemphigoid: serum levels of these immunoglobulins reflect disease activity. 2000;42:577-83
Douglass MC (*see* Akaraphanth et al). 2000;42:33-9
Dover JS (*see* Alora and Dover). 2000;42:288-90 (Brief rep.)
Dover JS (*see* Bykowski et al). 2000;42:784-6
Dragan LR, Baron JM, Stern S, Shaw JC. Solid facial edema preceding a diagnosis of retro-orbital B-cell lymphoma. 2000;42:872-4 (Case rep.)
Drage LA (*see* High et al). 2000;42:776-83
Dufresne RG Jr (*see* Phillips et al). 2000;42:436-41
du Vivier AW (*see* Yeh et al). 2000;42:357-62 (Case rep.)
Dwyer P (*see* Hongcharu et al). 2000;42:214-16

E

Eady RAJ (*see* Fine et al). 2000;42:1051-66 (Special rep.)
Egan CA, O'Reilly MA, Meadows KP, Zone JJ. Relapsing HenochSchönlein purpura associated with *Pseudomonas aeruginosa* pyelonephritis. 2000;42:381-3 (Case rep.)
el-Azhary RA (*see* Yiannias et al). 2000;42:177-82
El Darouti M, Marzouk SA, Sharawi E. Eosinophils in fibrous tracts and near hair bulbs: a helpful diagnostic feature of alopecia areata. 2000;42:305-6 (Letter)
Elewski BE. Tinea capitis: a current perspective. 2000;42:1-20 (CME article). 2000;42:704 (Correction)
Elgart GW (*see* Shah et al). 2000;42:85-8 (Therapy)
Elston DM, Clayton AS, Meffert JJ, McCollough ML. Migratory poliosis: a forme fruste of alopecia areata. 2000;42:1076-7 (Brief rep.)
Elston DM, McCollough ML, Bergfeld WF. Eosinophils in fibrous tracts and near hair bulbs: a helpful diagnosis feature of alopecia areata. 2000;42:306-7 (Letter reply)
Enjolras O, Mulliken JB, Wassef M, Frieden IJ, Rieu PNMA, Burrows PE, Salhi A, Léauté-Labreze, Kozakewich HPW. Residual lesions after Kasabach-Merritt phenomenon in 41 patients. 2000;42:225-35
Enjolras O (*see* Garzon et al). 2000;42:275-9 (Clin. rev.)
Epstein WL (*see* Mills et al). 2000;42:687-9 (Brief rep.)
Etherington D (*see* Bower et al). 2000;42:988-91

F

Farr PM (*see* Turner et al). 2000;42:476-9
Faulhaber D, Wörle B, Trautner B, Sander CA. Clear cell hidradenoma in a young girl. 2000;42:693-5 (Brief rep.)
Feldman SR, Sangha N, Setaluri V. Topical corticosteroid in foam vehicle offers comparable coverage compared with traditional vehicles. 2000;42:1017-20
Feldman SR (see Al-Suwaidan and Feldman SR). 2000;42:796-802 (Therapy)
Feldman S (*see* Gottlieb et al). 2000;42:428-35
Feldman SR (*see* Hotard et al). 2000;42:620-3
Fernández-Herrera J (*see* Valks et al). 2000;42:699 (Letter)
Fernández M (*see* Grilli and Fernández). 2000;42:536-7 (Letter)
Fesq H (*see* Abeck et al). 2000;42:254-7 (Therapy)
Fetil E (*see* Özkan et al). 2000;42:335-8 (Case rep.)
Fimiani M, Rubegni P, De Aloe G, Andreassi L. Evidence is lacking for a synergistic or additive effect of combination extracorporeal photopheresis with interferon alfa for cutaneous T-cell lymphoma. 2000;42:1088 (Letter reply)
Fine J-D, Eady RAJ, Bauer EA, Briggaman RA, Bruckner-Tuderman L, Christiano A, Heagerty A, Hintner H, Jonkman MF, McGrath J, McGuire J, Moshell A, Shimizu H, Tadini G, Uitto J. Revised classification system for inherited epidermolysis bullosa: report of the Second International Consensus Meeting on diagnosis and classification of epidermolysis bullosa. 2000;42:1051-66 (Special rep.)
Fleischer AB Jr (*see* Hotard et al). 2000;42:620-3
Fleischer AB, Schwartzel EH, Colby SI, Altman DJ, Depigmenting Solution Study Group. The combination of 2% 4-hydroxyanisole (Mequinol) and 0.01% tretinoin is effective in improving the appearance of solar lentigines and related hyperpigmented lesions in two double-blind multicenter clinical studies. 2000;42:459-67
Fleming MG (*see* Mascaró et al). 2000;42:309-15 (Case rep.)
Fliedner TM (*see* Gottlöber et al). 2000;42:453-8
Fowler JF Jr. (*see* Scalf and Fowler). 2000;42:355-6 (Case rep.)
Francia E (*see* Pujol et al). 2000;42:193-8

Frieden IJ (*see* Enjolras et al). 2000;42:225-35
Frieden IJ (*see* Garzon et al). 2000;42:275-9 (Clin. rev.)
Friedman-Birnbaum R (*see* Bergman et al). 2000;42:496-500 (Dermatopathology)
From L (*see* Muhn et al). 2000;42:754-9
Fujimoto M (*see* Yazawa et al). 2000;42:70-5
Fujitsuka A (*see* Hara et al). 2000;42:363-5 (Case rep.)
Fukuzawa M, Oguchi S, Saida T. Kaposi's varicelliform eruption of an elderly patient with multiple myeloma. 2000;42:921-2 (Case rep.)
Fusaro RM (*see* Lynch and Fusaro). 2000;42:1081-6 (Editorial)
Futerman B (*see* Sprecher et al). 2000;42:978-82

G

Galan P (*see* Malvy et al). 2000;42:47-55
Gallardo F (*see* Pujol et al). 2000;42:324-8 (Case rep.)
Gangeness DE (*see* Bamford et al). 2000;42:535 (Letter)
Ganter M (*see* Gladstone et al). 2000;42:106-12 (Derm. surgery)
García-Diez A (*see* Valks et al). 2000;42:699 (Letter)
García-Díez A (*see* Vargas-Díez et al). 2000;42:511-13 (Brief rep.)
García-Doval I, Losada A, de la Torre C, González A. Abdominal nodules as a presentation of obstruction of the inferior vena cava and factor V Leiden mutation. 2000;42:862-4 (Case rep.)
Garovoy M (*see* Gottlieb et al). 2000;42:428-35
Garzon MC, Enjolras O, Frieden IJ. Vascular tumors and vascular malformations: evidence for an association. 2000;42:275-9 (Clin. rev.)
Gautam RK (*see* Sharma et al). 2000;42:241-4 (Therapy)
Geilen CC and Mrowietz U. Lack of efficacy of topical mycophenolic acid in psoriasis vulgaris. 2000;42:837-40 (Brief rep.)
Geilen CC (*see* Blume-Peytavi et al). 2000;42:633-9
Geronemus RG. Current issues in dermatologic office–based surgery: correction. 2000;42:847 (Letter)
Ghislain P-D, Dinet Y, Delescluse J. Orf contamination may occur during religious events. 2000;42:848 (Letter)
Ghohestani RF (*see* Hsu et al). 2000;42:136-41 (Brief rep.)
Gibbs P (*see* Walsh et al). 2000;42:480-9 (Clin. update)
Giordano-Labadie F (*see* Schwarze et al). 2000;42:888-91 (Case rep.)
Giovannucci E (*see* Platz et al). 2000;42:1003-7
Giudice GJ (*see* Mascaró et al). 2000;42:309-15 (Case rep.)
Gladstone HB, Raugi GJ, Berg D, Berkley J, Weghorst S, Ganter M. Virtual reality for dermatologic surgery: virtually a reality in the 21st century. 2000;42:106-12 (Derm. surgery)
Glavan Sago NJ (*see* Whitmore and Glavan Sago). 2000;42:76-9
Glied M (*see* Muhn et al). 2000;42:754-9
Glogau RG. The risk of progression to invasive disease. 2000;42:S23-4
Gloster HM Jr. The use of full-thickness skin grafts to repair nonperforating nasal defects. 2000;42:1041-50 (Derm. surgery)
Gloster HM (*see* Adams and Gloster). 2000;42:1067-8 (Pearls)
Glusac EJ (*see* Heald and Glusac). 2000;42:283-5 (Brief rep.)
Gniadecka M. Lipodermatosclerosis and compression stockings. 2000;42:308 (Letter reply)
Goerdt S (*see* Blume-Peytavi et al). 2000;42:633-9
Goldberg I (*see* Barzilai et al). 2000;42:791-5
Goldman MP, Sadick NS, Weiss RA. Treatment of spider veins with the 595 nm pulsed-dye laser. 2000;42:849-50 (Letter)
González A (*see* García-Doval et al). 2000;42:862-4 (Case rep.)
Gonzalez J, Palangio M, Schwartz J, Klainer AS, Bisaccia E. Scleromyxedema with dermato-neuro syndrome. 2000;42:927-8 (Case rep.)
Gonzalez R (*see* Walsh et al). 2000;42:480-9 (Clin. update)
Gonzalez S (*see* Hongcharu et al). 2000;42:214-16
Gopalakrishnan Nair TV (*see* Usha and Gopalakrishnan Nair). 2000;42:236-40 (Therapy)
Gorguet MC (*see* Schwarze et al). 2000;42:888-91 (Case rep.)
Gottlieb A, Krueger JG, Bright R, Ling M, Lebwohl M, Kang S, Feldman S, Spellman M, Wittkowski K, Ochs HD, Jardieu P, Bauer R, White M, Dedrick R, Garovoy M. Effects of administration of a single dose of a humanized monoclonal antibody to CD11a on the immunobiology and clinical activity of psoriasis. 2000;42:428-35
Gottlieb AB (*see* Oh et al). 2000;42:829-30 (Brief rep.)
Gottlöber P, Bezold G, Weber L, Gourmelon P, Cosset JM, Bähren W, Hald HJ, Fliedner TM, Peter RU. The radiation accident in Georgia: clinical appearance and diagnosis of cutaneous radiation syndrome. 2000;42:453-8
Gottlöber P (*see* Grundmann-Kollmann et al). 2000;42:135-6 (Brief rep.)
Goulden V (*see* Sommer et al). 2000;42:332-4 (Case rep.)
Gourmelon P (*see* Gottlöber et al). 2000;42:453-8
Grabski WJ (*see* Laws et al). 2000;42:827-8 (Pearls)
Graefe T (*see* Wollina et al). 2000;42:40-6
Graham BS (*see* Matiwiyoff et al). 2000;42:865-6 (Case rep.)
Grant-Kels JM (*see* Chiarelli et al). 2000;42:366-70 (Case rep.)
Green AR (*see* Shah et al). 2000;42:85-8 (Therapy)
Grevelink J (*see* Ross et al). 2000;42:92-105 (Derm. surgery)
Griffiths CEM (*see* Lyon et al). 2000;42:992-1002
Grilli R and Fernández M. *Helicobacter pylori*: related to rosacea? 2000;42:536-7 (Letter)
Grosshans E (*see* Cribier et al). 2000;42:263-8 (Dermatopathology)
Grossman M (*see* Levit et al). 2000;42:269-74 (Clin. rev.)
Grundmann-Kollmann M, Behrens S, Gruss C, Gottlöber P, Peter RU, Kerscher M. Chronic sclerodermic graft-*versus*-host disease refractory to immunosuppressive treatment responds to UVA_1 phototherapy. 2000;42:135-6 (Brief rep.)
Grundmann-Kollmann M, Mooser G, Schraeder P, Zollner T, Kaskel P, Ochsendorf F, Boehncke W-H, Kerscher M, Kaufmann R, Peter RU. Treatment of chronic plaque-stage psoriasis and psoriatic arthritis with mycophenolate mofetil. 2000;42:835-7 (Brief rep.)
Grundmann-Kollmann M (*see* Behrens et al). 2000;42:493-5 (Therapy), 2000;42:698 (Letter)
Gruss C (*see* Grundmann-Kollmann et al). 2000;42:135-6 (Brief rep.)
Guinot C (*see* Malvy et al). 2000;42:47-55
Güneş AT (*see* Özkan et al). 2000;42:335-8 (Case rep.)
Gupta G, Man I, Kemmett D. Hydroa vacciniforme: A clinical and follow-up study of 17 cases. 2000;42:208-13
Gurevitch A (*see* Torno et al). 2000;42:351-4 (Case rep.)

H

Ha S-J (*see* Lee et al). 2000;42:936-8 (Case rep.)
Haeffner A (*see* Schmid-Grendelmeier et al). 2000;42:833-5 (Brief rep.)
Haimowitz JE, McCauliffe DP, Seykora J, Werth VP. Annular erythema of Sjögren's syndrome in a white woman. 2000;42:1069-73 (Brief rep.)
Hald HJ (*see* Gottlöber et al). 2000;42:453-8
Hamamoto Y, Nagai K, Yasui H, Muto M. Hyperreactivity of pseudoxanthoma elasticum-affected dermis to vitamin D_3. 2000;42:685-7 (Brief rep.)
Hamilton TK (*see* Checketts et al). 2000;42:907-13 (Case rep.)
Hand JH (*see* Yiannias et al). 2000;42:177-82
Hann S-K, Kim Y-S, Yoo JH, Chun Y-S. Clinical and histopathologic characteristics of trichrome vitiligo. 2000;42:589-96
Hansen S (*see* Jensen et al). 2000;42:307 (Letter)
Happle R. (*see* Wentscher and Happle). 2000;42:516-18 (Brief rep.)
Hara H, Wakui F, Fujitsuka A, Ochiai T, Morishima T. Subcutaneous abscesses in a patient with ulcerative colitis. 2000;42:363-5 (Case rep.)

Harms M (*see* Perriard et al). 2000;42:348-50 (Case rep.)
Harper PG (*see* Yeh et al). 2000;42:357-62 (Case rep.)
Harris MN, Desai R, Chuang T-Y, Hood AF, Mirowski GW. Lobular capillary hemangiomas: an epidemiological report, with emphasis on cutaneous lesions. 2000;42:1012-6
Harvey I (*see* Bower et al). 2000;42:988-91
Hashimoto T (*see* Ishii et al). 2000;42:859-61 (Case rep.)
Hashimoto Y (*see* Suga et al). 2000;42:520-2 (Brief rep.)
Hayman R (*see* Solomon and Hayman). 2000;42:1026-9 (Therapy)
Heagerty A (*see* Fine et al). 2000;42:1051-66 (Special rep.)
Heald PW and Glusac EJ. Unilesional cutaneous T-cell lymphoma: clinical features, therapy, and follow-up of 10 patients with a treatment-responsive mycosis fungoides variant. 2000;42:283-5 (Brief rep.)
Hecker D, Worsley J, Yueh G, Lebwohl M. In vitro compatibility of tazarotene with other topical treatments of psoriasis. 2000;42:1008-11
Heikkilä H, Timonen K, Stubb S. Fixed drug eruption due to fluconazole. 2000;42:883-4 (Case rep.)
Helm KF (*see* Cowen et al). 2000;42:374-7 (Case rep.)
Helm KF (*see* Katz et al). 2000;42:514-15 (Brief rep.)
Helms A and Brodell RT. Surgical pearl: prompt treatment of subungual hematoma by decompression. 2000;42:508-9 (Pearls)
Herbst A and Bystryn J-C. Patterns of remission in pemphigus vulgaris. 2000;42:422-7
Herbst RA, Hoch O, Kapp A, Weiss J. Guttate psoriasis triggered by perianal streptococcal dermatitis in a four-year-old boy. 2000;42:885-7 (Case rep.)
Herbst RA (*see* Schommer et al). 2000;42:290-2 (Brief rep.)
Hercberg S (*see* Malvy et al). 2000;42:47-55
Herouy Y. Lipodermatosclerosis and compression stockings. 2000;42:307-8 (Letter)
Heymann WR. Potassium iodide and the Wolff-Chaikoff effect: relevance for the dermatologist. 2000;42:490-2 (Therapy)
High WA, Houston MS, Calobrisi SD, Drage LA, McEvoy MT. Assessment of the accuracy of low-cost store-and-forward teledermatology consultation. 2000;42:776-83
Hintner H (*see* Fine et al). 2000;42:1051-66 (Special rep.)
Hirschmann JV. Does *Helicobacter pylori* eradication reduce the severity of rosacea? 2000;42:537-8 (Letter)
Hirschmann JV and Raugi GJ. Pustular tinea pedis. 2000;42:132-3 (Brief rep.)
Hoch O (*see* Herbst et al). 2000;42:885-7 (Case rep.)
Hofmann H (*see* Darsow et al). 2000;42:292-4 (Brief rep.)
Hollandsworth K (*see* Schumann et al). 2000;42:923-6 (Case rep.)
Hölzle E (*see* Neumann et al). 2000;42:183-92
Hongcharu W, Dwyer P, Gonzalez S, Anderson RR. Confirmation of onychomycosis by in vivo confocal microscopy. 2000;42:214-16
Hood AF (*see* Harris et al). 2000;42:1012-6
Hopster DJ (*see* Yeh et al). 2000;42:357-62 (Case rep.)
Hotard RS, Feldman SR, Fleischer AB, Jr. Sex-specific differences in the treatment of severe psoriasis. 2000;42:620-3
Houston MS (*see* High et al). 2000;42:776-83
Hsi ED (*see* Schumann et al). 2000;42:923-6 (Case rep.)
Hsu RC-C, Lazarova Z, Lee H-G, Tung Y-C, Yu H-S. Antiepiligrin cicatricial pemphigoid. 2000;42:841-4 (Brief rep.)
Hsu S, Ghohestani RF, Uitto J. Lichen planus pemphigoides with IgG autoantibodies to the 180 kd bullous pemphigoid antigen (type XVII collagen). 2000;42:136-41 (Brief rep.)
Hsu S (*see* Lewis et al). 2000;42:1073-5 (Brief rep.)
Hu TW (*see* Rodrigues et al). 2000;42:735-40
Hu W, Cook T, Oh CW, Penneys NS. Expression of the cyclin-dependent kinase inhibitor p27 in keratoacanthoma. 2000;42:473-5
Huilgol SC (*see* Madani et al). 2000;42:814-19 (Derm. surgery)
Hunt S (*see* Zirwas et al). 2000;42:867-8 (Case rep.)
Huyer D (*see* Albers et al). 2000;42:1078-80 (Brief rep.)

I

Ihn H (*see* Yamane et al). 2000;42:64-9
Ihn H (*see* Yazawa et al). 2000;42:70-5
Imakado S (*see* Nakamura et al). 2000;42:1021-5
Ishii K, Amagai M, Ohata Y, Shimizu H, Hashimoto T, Ohya K, Nishikawa T. Development of pemphigus vulgaris in a patient with pemphigus foliaceus: antidesmoglein antibody profile shift confirmed by enzyme-linked immunosorbent assay. 2000;42:859-61 (Case rep.)
Ishii M (*see* Kono et al). 2000;42:519-20 (Brief rep.)
Isler F (*see* Özkan et al). 2000;42:335-8 (Case rep.)
Izaki S (*see* Yoshizawa et al). 2000;42:258-62 (Therapy)

J

Jang I-G, Yang J-K, Lee H-J, Yi J-Y, Kim H-O, Kim C-W, Kim T-Y. Clinical improvement and immunohistochemical findings in severe atopic dermatitis treated with interferon gamma. 2000;42:1033-40 (Therapy)
Jardieu P (*see* Gottlieb et al). 2000;42:428-35
Jensen P, Møller B, Hansen S. Skin cancer in kidney transplant recipients and different long-term immunosuppressive therapy regimens. 2000;42:307 (Letter)
Jewell ML and McCauliffe DP. Patients with cutaneous lupus erythematosus who smoke are less responsive to antimalarial treatment. 2000;42:983-7
Jimenez S (*see* Shapiro et al). 2000;42:297-9 (Brief rep.)
Johnson TM, Chang A, Redman B, Rees R, Bradford C, Riba M, Lowe L. Management of melanoma with a multidisciplinary melanoma clinic model. 2000;42:820-6 (Special rep.)
Jones-Caballero M (*see* Vargas-Diez et al). 2000;42:511-13 (Brief rep.)
Jonkman MF (*see* Fine et al). 2000;42:1051-66 (Special rep.)

K

Kagen MH (*see* Levit et al). 2000;42:269-74 (Clin. rev.)
Kalka K, Merk H, Mukhtar H. Photodynamic therapy in dermatology. 2000;42:389-413 (CME article)
Kang S (*see* Gottlieb et al). 2000;42:428-35
Kapp A (*see* Herbst et al). 2000;42:885-7 (Case rep.)
Kapp A (*see* Schommer et al). 2000;42:290-2 (Brief rep.)
Karte K (*see* Wollina et al). 2000;42:40-6
Kaskel P (*see* Grundmann-Kollmann et al). 2000;42:835-7 (Brief rep.)
Katenkamp D (*see* Schommer et al). 2000;42:290-2 (Brief rep.)
Kato N, Yasukawa K, Kimura K, Yoshida K. Anaplastic large-cell lymphoma associated with acquired ichthyosis. 2000;42:914-20 (Case rep.)
Katta R, Nelson B, Chen D, Roenigk H. Sarcoidosis of the scalp: a case series and review of the literature. 2000;42:688-92 (Brief rep.)
Katta R and Wagner A. Angioma serpiginosum with extensive cutaneous involvement. 2000;42:384-5 (Case rep.)
Katz HM (*see* Mascaró et al). 2000;42:309-15 (Case rep.)
Katz KH, Marks JG Jr, Helm KF. Pemphigus foliaceus successfully treated with mycophenolate mofetil as a steroid-sparing agent. 2000;42:514-15 (Brief rep.)
Kaufmann R (*see* Grundmann-Kollmann et al). 2000;42:835-7 (Brief rep.)
Kawada A (*see* Kimura and Kawada). 2000;42:879-80 (Case rep.)
Keane CO (*see* Lenane et al). 2000;42:640-4
Kelley SW and Cockerell CJ. Sentinel lymph node biopsy as an adjunct to management of histologically difficult to diagnose melanocytic lesions: a proposal. 2000;42:527-30 (For discussion)
Kemmett D (*see* Gupta et al). 2000;42:208-13
Kerdel F (*see* Shah et al). 2000;42:85-8 (Therapy)

Kerscher M (*see* Behrens et al). 2000;42:493-5 (Therapy), 2000;42:698 (Letter)
Kerscher M (*see* Grundmann-Kollmann et al). 2000;42:135-6 (Brief rep.), 2000;42:835-7 (Brief rep.)
Kiehl P (*see* Schommer et al). 2000;42:290-2 (Brief rep.)
Kikuchi K (*see* Yamane et al). 2000;42:64-9
Kikuchi K (*see* Yazawa et al). 2000;42:70-5
Kim C-W (*see* Jang et al). 2000;42:1033-40 (Therapy)
Kim H-O (*see* Jang et al). 2000;42:1033-40 (Therapy)
Kim J-W (*see* Lee et al). 2000;42:936-8 (Case rep.)
Kim T-Y (*see* Jang et al). 2000;42:1033-40 (Therapy)
Kim Y-S (*see* Hann et al). 2000;42:589-96
Kim YS (*see* Roh et al). 2000;42:897-9 (Case rep.)
Kimura K (*see* Kato et al). 2000;42:914-20(Case rep.)
Kimura M and Kawada A. Follicular contact dermatitis due to polyoxyethylene laurylether. 2000;42:879-80 (Case rep.)
Kimyai-Asadi A, Usman A, Nousari HC. Ciprofloxacin-induced bullous pemphigoid. 2000;42:847 (Letter)
King LE Jr. (*see* Vannucci et al). 2000;42:294-7 (Brief rep.)
Kitamura K (*see* Yoshizawa et al). 2000;42:258-62 (Therapy)
Klainer AS (*see* Gonzalez et al). 2000;42:927-8 (Case rep.)
Klein PA and Callen JP. Drug-induced linear IgA bullous dermatosis after vancomycin discontinuance in a patient with renal insufficiency. 2000;42:316-23 (Case rep.)
Koch P, Münßinger T, Rupp-John C, Uhl K. Delayed-type hypersensitivity skin reactions caused by subcutaneous unfractionated and low-molecular-weight heparins: tolerance of a new recombinant hirudin. 2000;42:612-19
Koch SE and Lange JR. Amelanotic melanoma: the great masquerader. 2000;42:731-4
Kono T, Ishii M, Negoro N, Taniguchi S. Scleroderma-like reaction induced by uracil-tegafur (UFT), a second-generation anticancer agent. 2000;42:519-20 (Brief rep.)
Kopolovic J (*see* Barzilai et al). 2000;42:791-5
Kozakewich HPW (*see* Enjolras et al). 2000;42:225-35
Krafchik BR (*see* Albers et al). 2000;42:1078-80 (Brief rep.)
Kramer KE, Lopez A, Stefanato CM, Phillips TJ. Exogenous ochronosis. 2000;42:869-71 (Case rep.)
Krischer J (*see* Braun et al). 2000;42:770-5
Krivda SJ (*see* Stashower et al). 2000;42:89-91 (Dermatopathology)
Krueger JG (*see* Gottlieb et al). 2000;42:428-35
Kubo M (*see* Yamane et al). 2000;42:64-9
Kubo M (*see* Yazawa et al). 2000;42:70-5
Kubota T (*see* Demitsu et al). 2000;42:386-8 (Case rep.)
Kulkarni J (*see* Lyon et al). 2000;42:501-7 (Cin. rev.)

L

Landthaler M (*see* Schiffner et al). 2000;42:25-32
Lange JR (*see* Koch and Lange). 2000;42:731-4
Langevitz P (*see* Barzilai et al). 2000;42:791-5
Lauharanta (*see* Maddin et al). 2000;42:56-63
Laumann A (*see* Wong et al). 2000;42:849 (Letter)
Laws RA, Wilde JL, Grabski WJ. Surgical pearl: scroll-shaped electrode for electrodesiccation of actinic cheilitis. 2000;42:827-8 (Pearls)
Lazarova Z (*see* Hsu et al). 2000;42:841-4 (Brief rep.)
Lear JT (*see* Bower et al). 2000;42:988-91
Léauté-Labreze C (*see* Enjolras et al). 2000;42:225-35
Lebwohl M and Bernhard JD. The case for micrographically controlled skin surgery. 2000;42:696-7 (Editorial)
Lebwohl M (*see* Gottlieb et al). 2000;42:428-35
Lebwohl M (*see* Hecker et al). 2000;42:1008-11
Lee H-G (*see* Hsu et al). 2000;42:841-4 (Brief rep.)
Lee H-J, Ha S-J, Lee S-J, Kim J-W. Melanocytic nevus with pregnancy-related changes in size accompanied by apoptosis of nevus cells: a case report. 2000;42:936-8 (Case rep.)
Lee H-J (*see* Jang et al). 2000;42:1033-40 (Therapy)
Lee JA (*see* Lewis et al). 2000;42:1073-5 (Brief rep.)
Lee JH (*see* Roh et al). 2000;42:897-9 (Case rep.)
Lee S-J (*see* Lee et al). 2000;42:936-8 (Case rep.)
Leffell DJ. The scientific basis of skin cancer. 2000;42:S18-22
Lehmann P (*see* Neumann et al). 2000;42:183-92
Leiter U (*see* Behrens et al). 2000;42:698 (Letter)
Lenane P, Keane CO, Connell BO, Loughlin SO, Powell FC. Genital melanotic macules: clinical, histologic, immunohistochemical, and ultrastructural features. 2000;42:640-4
Leong SPL (*see* Rodrigues et al). 2000;42:735-40
Leverkus M (*see* Döpp et al). 2000;42:577-83
Levit EK, Kagen MH, Scher RK, Grossman M, Altman E. The ABC rule for clinical detection of subungual melanoma. 2000;42:269-74 (Clin. rev.)
Lewis AT, Hsu S, Phillips RM, Lee JA. Computer palms. 2000;42:1073-5 (Brief rep.)
Lewis EJ (*see* Connolly et al). 2000;42:343-7 (Case rep.)
Lim HW (*see* Akaraphanth et al). 2000;42:33-9
Lim HW (*see* Shieh et al). 2000;42:645-52 (Therapy)
Lim JK (*see* Silverberg et al). 2000;42:803-8 (Therapy)
Lin S (*see* Sprecher et al). 2000;42:978-82
Lindholm JS (*see* Connolly et al). 2000;42:343-7 (Case rep.)
Ling M (*see* Gottlieb et al). 2000;42:428-35
Livneh A (*see* Barzilai et al). 2000;42:791-5
Ljung B-M (*see* Rodrigues et al). 2000;42:735-40
Llistosella E (*see* Pujol et al). 2000;42:324-8 (Case rep.)
Loche F (*see* Schwarze et al). 2000;42:888-91 (Case rep.)
Logan TF (*see* Zirwas et al). 2000;42:867-8 (Case rep.)
Lok C. Adverse effects with EMLA cream used as topical anesthetic for the mechanical debridement of leg ulcers. 2000;42:147-8 (Letter reply)
Lopez A (*see* Kramer et al). 2000;42:869-71 (Case rep.)
Lopez A (*see* Reis et al). 2000;42:571-6
Lorenzi S (*see* Tosti et al). 2000;42:217-24
Losada A (*see* García-Doval et al). 2000;42:862-4 (Case rep.)
Loughlin SO (*see* Lenane et al). 2000;42:640-4
Lowe L (*see* Johnson et al). 2000;42:820-6 (Special rep.)
Lowitt MH (*see* Rothman et al). 2000;42:371-3 (Case rep.)
Lynch HT and Fusaro RM. The dermatologist, genetic counseling, and cancer-associated genodermatoses. 2000;42:1081-6 (Editorial)
Lyon CC, Kulkarni J, Zimerson E, Van Ross E, Beck MH. Skin disorders in amputees. 2000;42:501-7 (Clin. rev.)
Lyon CC, Smith AJ, Beck MH, Wong GAE, Griffiths CEM. Parastomal pyoderma gangrenosum: clinical features and management. 2000;42:992-1002

M

Machado J (*see* Santos et al). 2000;42:299-301 (Brief rep.)
Mackool BT (*see* Albert and Mackool). 2000;42:113-23 (Special article)
Madani S, Huilgol SC, Carruthers A. Unplanned incomplete Mohs micrographic surgery. 2000;42:814-19 (Derm. surgery)
Madani S, Trotter MJ, Shapiro J. Pseudopelade of Brocq in beard area. 2000;42:895-6 (Case rep.)
Madani S and Shapiro J. Alopecia areata update. 2000;42:549-66 (CME article)
Maddin S, Lauharanta J, Agache P, Burrows L, Zultak M, Bulger L. Isotretinoin improves the appearance of photodamaged skin: results of a 36-week, multicenter, double-blind, placebo-controlled trial. 2000;42:56-63

Maibach HI (*see* Yoshizawa et al). 2000;42:258-62 (Therapy)
Malvy DJ-M, Guinot C, Preziosi P, Vaillant L, Tenenhaus M, Galan P, Hercberg S, Tschachler E. Epidemiologic determinants of skin photoaging: baseline data of the SU.VI.MAX. cohort. 2000;42:47-55
Manabe M (*see* Demitsu et al). 2000;42:386-8 (Case rep.)
Mancini AJ (*see* Silverberg et al). 2000;42:803-8 (Therapy)
Man I (*see* Gupta et al). 2000;42:208-13
Manov L (*see* Bergman et al). 2000;42:496-500 (Dermatopathology)
Marks JG Jr (*see* Katz et al). 2000;42:514-15 (Brief rep.)
Marston E (*see* Santos et al). 2000;42:299-301 (Brief rep.)
Martinez M (*see* Wong et al). 2000;42:849 (Letter)
Martins JEC (*see* Reis et al). 2000;42:571-6
Marzouk SA (*see* El Darouti et al). 2000;42:305-6 (Letter)
Mascaró JM, Zillikens D, Giudice GJ, Caux F, Fleming MG, Katz HM, Diaz LA. A subepidermal bullous eruption associated with IgG autoantibodies to a 200 kd dermal antigen: the first case report from the United States. 2000;42:309-15 (Case rep.)
Masenga EJ (*see* Schmid-Grendelmeier et al). 2000;42:833-5 (Brief rep.)
Matias-Guiu X (*see* Pujol et al). 2000;42:193-8
Matiwiyoff G, McKinlay JR, Miller CH, Graham BS. Transepidermal migration of external cardiac pacing wire presenting as a cutaneous nodule. 2000;42:865-6 (Case rep.)
Matsui H (*see* Yoshizawa et al). 2000;42:258-62 (Therapy)
Maurer TA (*see* Rodwell et al). 2000;42:727-30
McCauliffe DP (*see* Haimowitz et al). 2000;42:1069-73 (Brief rep.)
McCauliffe DP (*see* Jewell ML and McCauliffe). 2000;42:983-7
McCollough ML (*see* Elston et al). 2000;42:306-7 (Letter reply), 2000;42:1076-7 (Brief rep.)
McCollough ML (*see* Zabel et al). 2000;42:831-3 (Brief rep.)
McEvoy MT (*see* High et al). 2000;42:776-83
McGrath J (*see* Fine et al). 2000;42:1051-66 (Special rep.)
McGuire J (*see* Fine et al). 2000;42:1051-66 (Special rep.)
McKinlay JR (*see* Matiwiyoff et al). 2000;42:865-6 (Case rep.)
McKinlay JR (*see* Ross et al). 2000;42:92-105 (Derm. surgery)
Meadows KP (*see* Egan et al). 2000;42:381-3 (Case rep.)
Meehan CJ (*see* Czarnecki and Meehan). 2000;42:672-4 (Clin. rev.)
Meffert JJ (*see* Elston et al). 2000;42:1076-7 (Brief rep.)
Meier M-L (*see* Braun et al). 2000;42:770-5
Mempel M (*see* Abeck et al). 2000;42:254-7 (Therapy)
Merchant WJ (*see* Sommer et al). 2000;42:332-4 (Case rep.)
Merk H (*see* Kalka et al). 2000;42:389-413 (CME article)
Meyer H (*see* Wienecke et al). 2000;42:892-4 (Case rep.)
Miller CH (*see* Matiwiyoff et al). 2000;42:865-6 (Case rep.)
Miller JR III (*see* Rodrigues et al). 2000;42:735-40
Mills LB, Mordan LJ, Roth HL, Winger EE, Epstein WL. Treatment of severe atopic dermatitis by topical immune modulation using dinitrochlorobenzene. 2000;42:687-9 (Brief rep.)
Mirowski GW (*see* Harris et al). 2000;42:1012-6
Mitchell WM (*see* Vannucci et al). 2000;42:294-7 (Brief rep.)
Miteva L (*see* Pramatarov et al). 2000;42:286-8 (Brief rep.)
Mittmann N (*see* Tavadia et al). 2000;42:628-32
Møller B (*see* Jensen et al). 2000;42:307 (Letter)
Montes M (*see* Perez et al). 2000;42:900-2 (Case rep.)
Monticone G, Colonna L, Palermi G, Bono R, Puddu P. Quantitative nailfold capillary microscopy findings in patients with acrocyanosis compared with patients having systemic sclerosis and control subjects. 2000;42:787-90
Moody BR (*see* Weber and Moody). 2000;42:280-2 (Pearls)
Mooser G (*see* Grundmann-Kollmann et al). 2000;42:835-7 (Brief rep.)
Mordan LJ (*see* Mills et al). 2000;42:687-9 (Brief rep.)
Moreno J-C (*see* Vélez and Moreno). 2000;42:305 (Letter)
Morishima T (*see* Hara et al). 2000;42:363-5 (Case rep.)
Moshell A (*see* Fine et al). 2000;42:1051-66 (Special rep.)
Moy RL. Clinical presentation of actinic keratoses and squamous cell carcinoma. 2000;42:S8-10
Mrowietz U (*see* Geilen and Mrowietz). 2000;42:837-40 (Brief rep.)
Muhn CY, From L, Glied M. Detection of artificial changes in mole size by skin self-examination. 2000;42:754-9
Mukhtar H (*see* Kalka et al). 2000;42:389-413 (CME article)
Mulliken JB (*see* Enjolras et al). 2000;42:225-35
Munichor M (*see* Bergman et al). 2000;42:496-500 (Dermatopathology)
Munn SE (*see* Yeh et al). 2000;42:357-62 (Case rep.)
Münßinger T (*see* Koch et al). 2000;42:612-19
Mutasim DF and Adams BB. A practical guide for serologic evaluation of autoimmune connective tissue diseases. 2000;42:159-74 (CME article)
Mutasim DF and Bridges AG. Patch granuloma annulare: clinicopathologic study of 6 patients. 2000;42:417-21
Mutasim DF (*see* Adams et al). 2000;42:624-7
Muto M (*see* Hamamoto et al). 2000;42:685-7 (Brief rep.)
Mydlarski PR (*see* Tavadia et al). 2000;42:628-32

N

Nagai K (*see* Hamamoto et al). 2000;42:685-7 (Brief rep.)
Nagato H (*see* Demitsu et al). 2000;42:386-8 (Case rep.)
Naimer SA, Trattner A, Biton A, Avinoach I, Vardy D. Davener's dermatosis: a variant of friction hypermelanosis. 2000;42:442-5
Nakagawa T, Nakashima K, Takaiwa T, Negayama K. *Trichosporon cutaneum (Trichosporon asahii)* infection mimicking hand eczema in a patient with leukemia. 2000;42:929-31 (Case rep.)
Nakamura K, Imakado S, Takizawa M, Adachi M, Sugaya M, Wakugawa M, Asahina A, Tamaki K. Exacerbation of pustulosis palmaris et plantaris after topical application of metals accompanied by elevated levels of leukotriene B_4 in pustules. 2000;42:1021-5
Nakashima K (*see* Nakagawa et al). 2000;42:929-31 (Case rep.)
Naldi L, DiLandro A, D'Avanzo B, Parazzini F, Oncology Cooperative Group of the Italian Group for Epidemiological Research in Dermatology. Host-related and environmental risk factors for cutaneous basal cell carcinoma: evidence from an Italian case-controlled study. 2000;42:446-52
Naseef GS (*see* Ross et al). 2000;42:92-105 (Derm. surgery)
Negayama K (*see* Nakagawa et al). 2000;42:929-31 (Case rep.)
Negoro N (*see* Kono et al). 2000;42:519-20 (Brief rep.)
Nelson B (*see* Katta et al). 2000;42:688-92 (Brief rep.)
Neumann NJ, Hölzle E, Plewig G, Schwarz T, Panizzon RG, Breit R, Ruzicka T, Lehmann P. Photopatch testing: the 12-year experience of the German, Austrian, and Swiss Photopatch Test Group. 2000;42:183-92
Ng BW (*see* Rodrigues et al). 2000;42:735-40
Nguyen EQ (*see* Wu et al). 2000;42:378-80 (Case rep.)
Nielsen TA (*see* Wu et al). 2000;42:378-80 (Case rep.)
Nishikawa T (*see* Ishii et al). 2000;42:859-61 (Case rep.)
Nishimaki K (*see* Demitsu et al). 2000;42:386-8 (Case rep.)
Njoo MD, Bos JD, Westerhof W. Treatment of generalized vitiligo in children with narrow-band (TL-01) UVB radiation therapy. 2000;42:245-53 (Therapy)
Njoo MD, Vodegel RM, Westerhof W. Depigmentation therapy in vitiligo universalis with topical 4-methoxyphenol and the Q-switched ruby laser. 2000;42:760-9
Nomdedeu JF (*see* Pujol et al). 2000;42:324-8 (Case rep.)
Nousari HC (*see* Kimayai-Asadi et al). 2000;42:847 (Letter)

O

O'Brien EA (*see* Tremblay et al). 2000;42:844-6 (Brief rep.)
Ochiai T (*see* Hara et al). 2000;42:363-5 (Case rep.)
Ochsendorf F (*see* Grundmann-Kollmann et al). 2000;42:835-7 (Brief rep.)

Ochs HD (*see* Gottlieb et al). 2000;42:428-35
O'Doherty MJ (*see* Acland et al). 2000;42:606-11
Ogawa H (*see* Suga et al). 2000;42:520-2 (Brief rep.)
Oguchi S (*see* Fukuzawa et al). 2000;42:921-2 (Case rep.)
Oh CJ, Das KM, Gottlieb AB. Treatment with anti-tumor necrosis factor α (TNF-α) monoclonal antibody dramatically decreases the clinical activity of psoriasis lesions. 2000;42:829-30 (Brief rep.)
Oh CW (*see* Hu et al). 2000;42:473-5
Ohata Y (*see* Ishii et al). 2000;42:859-61 (Case rep.)
Ohya K (*see* Ishii et al). 2000;42:859-61 (Case rep.)
Okada O (*see* Demitsu et al). 2000;42:386-8 (Case rep.)
Oliver G (*see* Albers et al). 2000;42:1078-80 (Brief rep.)
Oncology Cooperative Group of the Italian Group for Epidemiological Research in Dermatology (*see* Naldi et al). 2000;42:446-52
O'Reilly MA (*see* Egan et al). 2000;42:381-3 (Case rep.)
Orfanos CE (*see* Blume-Peytavi et al). 2000;42:633-9
Oriba HA (*see* Schumann et al). 2000;42:923-6 (Case rep.)
Ostiz S (*see* Perez et al). 2000;42:900-2 (Case rep.)
Özbakır Ö (*see* Utaş et al). 2000;42:535-6 (Letter reply) 2000; 42:537 (Letter reply), 2000;42:538-9 (Letter reply)
Özkan Ş, Fetil E, Isler F, Pabucçuoğlu U, Yalçin N, Güneş AT. Anetoderma secondary to generalized granuloma annulare. 2000;42:335-8 (Case rep.)
Özkaya-Bayazit E, Akasya E, Büyükbabani N, Baykal C. Pustular psoriasis with a striking linear pattern. 2000;42:329-31 (Case rep.)

P

Pabucçuoğlu U (*see* Özkan et al). 2000;42:335-8 (Case rep.)
Pakzad SY (*see* Yiannias et al). 2000;42:177-82
Palangio M, Schwartz J, Klainer AS, Bisaccia E (*see* Gonzalez et al). 2000;42:927-8 (Case rep.)
Palermi G (*see* Monticone et al). 2000;42:787-90
Paller AS (*see* Silverberg et al). 2000;42:803-8 (Therapy)
Panizzon RG (*see* Neumann et al). 2000;42:183-92
Parazzini F (*see* Naldi et al). 2000;42:446-52
Park JK (*see* Roh et al). 2000;42:897-9 (Case rep.)
Patterson J (*see* Christenson et al). 2000;42:675-6 (Pearls)
Pellegrini AE (*see* Wu et al). 2000;42:378-80 (Case rep.)
Pelloni F (*see* Braun et al). 2000;42:770-5
Penneys NS (*see* Hu et al). 2000;42:473-5
Perez C, Vives R, Montes M, Ostiz S. Recurrent eosinophilic panniculitis associated with *Fasciola hepatica* infection. 2000;42: 900-2 (Case rep.)
Perriard J, Saurat J-H, Harms M. An overlap of Cowden's disease and Bannayan-Riley-Ruvalcaba syndrome in the same family. 2000;42:348-50 (Case rep.)
Peter R-U (*see* Behrens et al). 2000;42:493-5 (Therapy)
Peter R-U (*see* Behrens et al). 2000;42:698 (Letter)
Peter RU (*see* Gottlöber et al). 2000;42:453-8
Peter RU (*see* Grundmann-Kollmann et al). 2000;42:135-6 (Brief rep.)
Peter RU (*see* Grundmann-Kollmann et al). 2000;42:835-7 (Brief rep.)
Pfau RG (*see* Rothman et al). 2000;42:371-3 (Case rep.)
Pharis DB, Cerenko D, Caughman SW. Sweet's syndrome in a patient with idiopathic progressive bilateral sensorineural hearing loss. 2000;42:932-5 (Case rep.)
Phillips KA, Dufresne RG Jr, Wilkel CS, Vittorio CC. Rate of body dysmorphic disorder in dermatology patients. 2000;42:436-41
Phillips RM (*see* Lewis et al). 2000;42:1073-5 (Brief rep.)
Phillips TJ (*see* Kramer et al). 2000;42:869-71 (Case rep.)
Piepkorn M. Melanoma genetics: an update with focus on the CDKN2A(p16)/ARF tumor suppressors. 2000;42:705-22 (CME article)
Piepkorn M. The expression of $p16^{INK4A}$, the product of a tumor suppressor gene for melanoma, is upregulated in human melanocytes by UVB irradiation. 2000;42:741-5
Pinkerton PH (*see* Tavadia et al). 2000;42:628-32
Pippione M (*see* Aloi et al). 2000;42:468-72
Piraccini BM (*see* Tosti and Piraccini). 2000;42:848-9 (Letter)
Piraccini BM (*see* Tosti et al). 2000;42:217-24
Platz EA, Pollak MN, Willett WC, Giovannucci E. Vertex balding, plasma insulin-like growth factor 1, and insulin-like growth factor binding protein 3. 2000;42:1003-7
Plewig G (*see* Neumann et al). 2000;42:183-92
Plewig G (*see* Wienecke et al). 2000;42:892-4 (Case rep.)
Plunkett TA (*see* Yeh et al). 2000;42:357-62 (Case rep.)
Pollak MN (*see* Platz et al). 2000;42:1003-7
Powell FC (*see* Lenane et al). 2000;42:640-4
Pramatarov K, Vassileva S, Miteva L. Subacute cutaneous lupus erythematosus presenting with generalized poikiloderma. 2000;42:286-8 (Brief rep.)
Pras M (*see* Barzilai et al). 2000;42:791-5
Preziosi P (*see* Malvy et al). 2000;42:47-55
Proença R (*see* Santos et al). 2000;42:299-301 (Brief rep.)
Puddu P (*see* Monticone et al). 2000;42:787-90
Pujol RM, Domingo P, Matias-Guiu X, Francia E, Sanbeat MA, Alomar A, Vazquez G. HIV-1 protease inhibitor-associated partial lipodystrophy: clinicopathologic review of 14 cases. 2000; 42:193-8
Pujol RM, Gallardo F, Llistosella E, Blanco A, Bernadó L, Bordes R, Nomdedeu JF, Servitje O. Invisible mycosis fungoides: a diagnostic challenge. 2000;42:324-8 (Case rep.)

Q

Quiding H (*see* Wahlgren and Quiding). 2000;42:584-8

R

Ramelet AA (*see* Braun et al). 2000;42:770-5
Raugi GJ (*see* Gladstone et al). 2000;42:106-12 (Derm. surgery)
Raugi GJ (*see* Hirschmann and Raugi). 2000;42:132-3 (Brief rep.)
Rebora A (*see* Rongioletti and Rebora). 2000;42:680-4 (Brief rep.)
Redman B (*see* Johnson et al). 2000;42:820-6 (Special rep.)
Rees R (*see* Johnson et al). 2000;42:820-6 (Special rep.)
Reischle S and Schuller-Petrovic S. Treatment of capillary hemangiomas of early childhood with a new method of cryosurgery. 2000;42:809-13 (Therapy)
Reisfeld PL. Blue in the skin. 2000;42:597-605
Reis MD (*see* Tavadia et al). 2000;42:628-32
Reis VMS, Toledo RP, Lopez A, Diaz LA, Martins JEC, The Cooperative Group on Fogo Selvagem Research. UVB-induced acantholysis in endemic pemphigus foliaceus (fogo selvagem) and pemphigus vulgaris. 2000;42:571-6
Rendleman L and Stone MS. An unusual hematopoietic proliferation seen in a nevus sebaceous. 2000;42:881-2 (Case rep.)
Rezuke WN (*see* Chiarelli et al). 2000;42:366-70 (Case rep.)
Riba M (*see* Johnson et al). 2000;42:820-6 (Special rep.)
Richter-Hintz D, Schuppe H-C, Homey B, Lehmann P Ruzicka T. Topical tacrolimus (FK 506) is effective in the treatment of pyoderma gangrenosum. 2000;42:304 (Letter)
Rieu PNMA (*see* Enjolras et al). 2000;42:225-35
Rigel DS (*see* Robinson et al). 2000;42:746-53
Ring J (*see* Abeck et al). 2000;42:254-7 (Therapy)
Ring J (*see* Darsow et al). 2000;42:292-4 (Brief rep.)
Robinson JK, Rigel DS, Amonette RA. Summertime sun protection used by adults for their children. 2000;42:746-53
Rodrigues LKE, Leong SPL, Ljung B-M, Sagebiel RW, Burnside N, Hu TW, Ng BW, Miller JR III. Fine needle aspiration in the diagnosis of metastatic melanoma. 2000;42:735-40
Rodrigues P (*see* Santos *et al*). 2000;42:299-301 (Brief rep.)

Rodwell GEJ, Maurer TA, Berger TG. Fat redistribution in HIV disease. 2000;42:727-30
Roenigk H (*see* Katta et al). 2000;42:688-92 (Brief rep.)
Rogers RS, III (*see* Yiannias et al). 2000;42:177-82
Roh HS, Kim YS, Suhr KB, Yoon TY, Lee JH, Park JK. A case of childhood epithelioid hemangioendothelioma. 2000;42:897-9 (Case rep.)
Rongioletti F and Rebora A. Acquired brachial cutaneous dyschromatosis: a common pigmentary disorder of the arm in middle-aged women. 2000;42:680-4 (Brief rep.)
Ross EV, Naseef GS, McKinlay JR, Barnette DJ, Skrobal M, Grevelink J, Anderson RR. Comparison of carbon dioxide laser, erbium:YAG laser, dermabrasion, and dermatome. 2000;42:92-105 (Derm. surgery)
Roth HL (*see* Mills et al). 2000;42:687-9 (Brief rep.)
Rothman AE, Lowitt MH, Pfau RG. Pediatric cutaneous malignant fibrous histiocytoma. 2000;42:371-3 (Case rep.)
Rubegni P (*see* Fimiani et al). 2000;42:1088 (Letter reply)
Rueda M (*see* Cáceres-Ríos et al). 2000;42:85-8 (Therapy)
Rupp-John C (*see* Koch et al). 2000;42:612-19
Russell-Jones R (*see* Acland et al). 2000;42:606-11
Ruzicka T (*see* Neumann et al). 2000;42:183-92

S

Sadick NS (*see* Goldman et al). 2000;42:849-50 (Letter)
Sagebiel RW (*see* Rodrigues et al). 2000;42:735-40
Saida T (*see* Fukuzawa et al). 2000;42:921-2 (Case rep.)
Salasche SJ. Epidemiology of actinic keratoses and squamous cell carcinoma. 2000;42:S4-7
Salhi A (*see* Enjolras et al). 2000;42:225-35
Sanbeat MA (*see* Pujol et al). 2000;42:193-8
Sander CA (*see* Faulhaber et al). 2000;42:693-5 (Brief rep.)
Sangha N (*see* Feldman et al). 200;42:1017-20
Santos R, Cardoso O, Rodrigues P, Cardoso J, Machado J, Afonso A, Bacellar F, Marston E, Proença R. Bacillary angiomatosis by ***Bartonella quintana*** in an HIV-infected patient. 2000;42:299-301 (Brief rep.)
Satyanarayana L (*see* Sharma et al). 2000;42:241-4 (Therapy)
Sauder DN. Topical tacrolimus (FK 506) is effective in the treatment of pyoderma gangrenosum. 2000;42:304-5 (Letter reply)
Sauder DN (*see* Tavadia et al). 2000;42:628-32
Saurat J-H (*see* Braun et al). 2000;42:770-5
Saurat J-H (*see* Perriard et al). 2000;42:348-50 (Case rep.)
Scalf LA and Fowler JF Jr. Peristomal allergic contact dermatitis due to Gantrez in Stomahesive paste. 2000;42:355-6 (Case rep.)
Scarborough DA (*see* Bader and Scarborough). 2000;42:127-8 (Pearls)
Schaller M (*see* Wienecke et al). 2000;42:892-4 (Case rep.)
Scheinman PL. The foul side of fragrance-free products. 2000;42:1087 (Letter)
Scher RK (*see* Levit et al). 2000;42:269-74 (Clin. rev.)
Schiener R (*see* Behrens et al). 2000;42:493-5 (Therapy)
Schiffner R, Schiffner-Rohe J, Vogt T, Landthaler M, Wlotzke U, Cognetta AB, Stolz W. Improvement of early recognition of lentigo maligna using dermatoscopy. 2000;42:25-32
Schiffner-Rohe J (*see* Schiffner et al). 2000;42:25-32
Schilling M (*see* Braun et al). 2000;42:770-5
Schmid-Grendelmeier P, Masenga EJ, Haeffner A, Burg G. Teledermatology as a new tool in sub-Saharan Africa: an experience from Tanzania. 2000;42:833-5 (Brief rep.)
Schmidt E (*see* Döpp et al). 2000;42:577-83
Schmidt T (*see* Abeck et al). 2000;42:254-7 (Therapy)
Schommer M, Herbst RA, Brodersen JP, Kiehl P, Katenkamp D, Kapp A, Weiss J. Retiform hemangioendothelioma: another tumor associated with human herpesvirus type 8? 2000;42:290-2 (Brief rep.)
Schöpf E (*see* Czech et al). 2000;42:653-9 (Therapy)
Schraeder P (*see* Grundmann-Kollmann et al). 2000;42:835-7 (Brief rep.)
Schuller-Petrovic S (*see* Reischle and Schuller-Petrovic). 2000;42:809-13 (Therapy)
Schumann KW, Oriba HA, Bergfeld WF, Hsi ED, Hollandsworth K. Cutaneous presentation of posttransplant lymphoproliferative disorder. 2000;42:923-6 (Case rep.)
Schwartzel EH (*see* Fleischer et al). 2000;42:459-67
Schwartz J (*see* Gonzalez et al). 2000;42:927-8 (Case rep.)
Schwarz T (*see* Beissert et al). 2000;42:1030-2 (Therapy)
Schwarz T (*see* Neumann et al). 2000;42:183-92
Schwarze HP, Giordano-Labadie F, Loche F, Gorguet MC, Bazex J. Delayed-hypersensitivity granulomatous reaction induced by blepharopigmentation with aluminum-silicate. 2000;42:888-91 (Case rep.)
Scrivener Y (*see* Cribier et al). 2000;42:263-8 (Dermatopathology)
Seraly MP (*see* Zirwas et al). 2000;42:867-8 (Case rep.)
Servitje O (*see* Pujol et al). 2000;42:324-8 (Case rep.)
Setaluri V (*see* Feldman et al). 200;42:1017-20
Seykora J (*see* Haimowitz et al). 2000;42:1069-73 (Brief rep.)
Shah N, Green AR, Elgart GW, Kerdel F. The use of chlorambucil with prednisone in the treatment of pemphigus. 2000;42:85-8 (Therapy)
Shalata A (*see* Sprecher et al). 2000;42:978-82
Shapiro J (*see* Madani and Shapiro). 2000;42:549-66 (CME article)
Shapiro M, Jimenez S, Werth VP. Pemphigus vulgaris induced by D-penicillamine therapy in a patient with systemic sclerosis. 2000;42:297-9 (Brief rep.)
Sharawi E (*see* El Darouti et al). 2000;42:305-6 (Letter)
Sharma PK, Yadav TP, Gautam RK, Taneja N, Satyanarayana L. Erythromycin in pityriasis rosea: a double-blind, placebo-controlled clinical trial. 2000;42:241-4 (Therapy)
Shaw JC (*see* Dragan et al). 2000;42:872-4 (Case rep.)
Shear N (*see* Tavadia et al). 2000;42:628-32
Sheehan-Dare RA (*see* Sommer and Sheehan-Dare). 2000;42:667-71 (Derm. surgery)
Shelley ED (*see* Shelley and Shelley). 2000;42:142 (Opinion)
Shelley WB and Shelley ED. To be or not to be—fully informed. 2000;42:142 (Opinion)
Shieh S, Cohen JL, Lim HW. Management of porphyria cutanea tarda in the setting of chronic renal failure: a case report and review. 2000;42:645-52 (Therapy)
Shimizu H (*see* Fine et al). 2000;42:1051-66 (Special rep.)
Shimizu H (*see* Ishii et al). 2000;42:859-61 (Case rep.)
Silverberg NB, Lim JK, Paller AS, Mancini AJ. Squaric acid immunotherapy for warts in children. 2000;42:803-8 (Therapy)
Skrobal M (*see* Ross et al). 2000;42:92-105 (Derm. surgery)
Smith AJ (*see* Lyon et al). 2000;42:992-1002
Solomon BA and Hayman R. Botulinum toxin type A therapy for palmar and digital hyperhidrosis. 2000;42:1026-9 (Therapy)
Soma Y (*see* Yamane et al). 2000;42:64-9
Sommer S and Sheehan-Dare RA. Pulsed dye laser treatment of port-wine stains in pigmented skin. 2000;42:667-71 (Derm. surgery)
Sommer S, Wilkinson SM, Merchant WJ, Goulden V. Sweet's syndrome presenting as palmoplantar pustulosis. 2000;42:332-4 (Case rep.)
Soro E (*see* Aloi et al). 2000;42:468-72
Sparsa A (*see* Boulinguez et al). 2000;42:146-7 (Letter)
Spellman M (*see* Gottlieb et al). 2000;42:428-35
Sporn JR (*see* Chiarelli et al). 2000;42:366-70 (Case rep.)
Sprecher E, Shalata A, Dabbah K, Futerman B, Lin S, Szargel R, Bergman R. Androgenetic alopecia in heterozygous carriers of a mutation in the human hairless gene. 2000;42:978-82
Sprecher E (*see* Bergman et al). 2000;42:496-500 (Dermatopathology)

Ständer H (*see* Beissert et al). 2000;42:1030-2 (Therapy)
Stashower ME, Krivda SJ, Turiansky GW. Fox-Fordyce disease: diagnosis with transverse histologic sections. 2000;42:89-91 (Dermatopathology)
Stefanato CM (*see* Kramer et al). 2000;42:869-71 (Case rep.)
Stern S (*see* Dragan et al). 2000;42:872-4 (Case rep.)
Stolz W (*see* Schiffner et al). 2000;42:25-32
Stone MS (*see* Rendleman and Stone). 2000;42:881-2(Case rep.)
Stratakis CA (*see* Cohen et al). 2000;42:145 (Letter)
Stratton CW (*see* Vannucci et al). 2000;42:294-7 (Brief rep.)
Strom K (*see* Abeck et al). 2000;42:254-7 (Therapy)
Stubb S (*see* Heikkilä et al). 2000;42:883-4 (Case rep.)
Suga Y, Tsuboi R, Hashimoto Y, Yoshiike T, Ogawa H. A case of ichthyosis linearis circumflexa successfully treated with topical tacrolimus. 2000;42:520-2 (Brief rep.)
Sugaya M (*see* Nakamura et al). 2000;42:1021-5
Suhr KB (*see* Roh et al). 2000;42:897-9 (Case rep.)
Sviland L (*see* Turner et al). 2000;42:476-9
Szargel R (*see* Sprecher et al). 2000;42:978-82

T

Tadini G (*see* Fine et al). 2000;42:1051-66 (Special rep.)
Takaiwa T (*see* Nakagawa et al). 2000;42:929-31 (Case rep.)
Takizawa M (*see* Nakamura et al). 2000;42:1021-5
Tamaki K (*see* Nakamura et al). 2000;42:1021-5
Tamaki K (*see* Yamane et al). 2000;42:64-9
Tamaki K (*see* Yazawa et al). 2000;42:70-5
Tamaki T (*see* Yazawa et al). 2000;42:70-5
Taneja N (*see* Sharma et al). 2000;42:241-4 (Therapy)
Taniguchi S (*see* Kono et al). 2000;42:519-20 (Brief rep.)
Tapernoux B (*see* Braun et al). 2000;42:770-5
Tavadia SMB, Mydlarski PR, Reis MD, Mittmann N, Pinkerton PH, Shear N, Sauder DN. Screening for azathioprine toxicity: a pharmacoeconomic analysis based on a target case. 2000;42:628-32
Taylor CR (*see* Asawanonda et al). 2000;42:660-6 (Derm. surgery)
Taylor G (*see* Albers et al). 2000;42:1078-80 (Brief rep.)
Tenenhaus M (*see* Malvy et al). 2000;42:47-55
Teufelsdröckh EYD. Prurit*s. 2000;42:698-9 (Letter)
Theis JH (*see* Davis-Reed and Theis). 2000;42:678-80 (Brief rep.)
Thürlimann W (*see* Braun et al). 2000;42:770-5
Tilden RL (*see* Bamford et al). 2000;42:535 (Letter)
Timonen K (*see* Heikkilä et al). 2000;42:883-4 (Case rep.)
Toledo RP (*see* Reis et al). 2000;42:571-6
Tomasini C (*see* Aloi et al). 2000;42:468-72
Toonstra J (*see* Boonstra et al). 2000;42:199-207
Tope WD (*see* Connolly et al). 2000;42:343-7 (Case rep.)
Torno MS, Babapour R, Gurevitch A, Witt MD. Cutaneous acanthamoebiasis in AIDS. 2000;42:351-4 (Case rep.)
Tosti A, Piraccini BM, Lorenzi S. Onychomycosis caused by nondermatophytic molds: clinical features and response to treatment of 59 cases. 2000;42:217-24
Tosti A and Piraccini BM. Finasteride and the hair cycle. 2000; 42:848-9 (Letter)
Trattner A (*see* Naimer et al). 2000;42:442-5
Trau H (*see* Barzilai et al). 2000;42:791-5
Trautner B (*see* Faulhaber et al). 2000;42:693-5 (Brief rep.)
Tremblay J-F, O'Brien EA, Chauvin PJ. Melanoma in situ of the oral mucosa in an adolescent with dysplastic nevus syndrome. 2000;42:844-6 (Brief rep.)
Tsao H. Update on familial cancer syndromes and the skin. 2000;42:939-69 (CME article)
Tschachler E. (*see* Malvy et al). 2000;42:47-55
Tsuboi R (*see* Suga et al). 2000;42:520-2 (Brief rep.)
Tung Y-C (*see* Hsu et al). 2000;42:841-4 (Brief rep.)
Turasan A (*see* Utaş et al). 2000;42:535-6 (Letter reply), 2000; 42:537 (Letter reply), 2000;42:538-9 (Letter reply)
Turiansky GW (*see* Stashower et al). 2000;42:89-91 (Dermatopathology)
Turner M (*see* Cohen et al). 2000;42:145 (Letter)
Turner RJ, Sviland L, Charlton F, Farr PM. PUVA-related punctate keratoses of the hands and feet. 2000;42:476-9

U

Uhl K (*see* Koch et al). 2000;42:612-19
Uitto J (*see* Fine et al). 2000;42:1051-66 (Special rep.)
Uitto J (*see* Hsu et al). 2000;42:136-41 (Brief rep.)
Usha V and Gopalakrishnan Nair TV. A comparative study of oral ivermectin and topical permethrin cream in the treatment of scabies. 2000;42:236-40 (Therapy)
Usman A (*see* Kimayai-Asadi et al). 2000;42:847 (Letter)
Utaş C (*see* Utaş et al). 2000;42:538-9 (Letter reply)
Utaş S, Özbakır Ö, Turasan A. Does *Helicobacter pylori* eradication treatment reduce the severity of rosacea? 2000;42:535-6 (Letter reply)
Utaş S, Özbakir Ö, Turasan A. *Helicobacter pylori:* related to rosacea? 2000;42:537 (Letter reply)
Utaş S, Özbakir Ö, Turasan A, Utaş C. Does *Helicobacter pylori* eradication treatment reduce the severity of rosacea? 2000;42: 538-9 (Letter reply)

V

Vaillant L (*see* Malvy et al). 2000;42:47-55
Valks R, García-Diez A, Fernández-Herrera J. Mucocutaneous reactions to chemotherapy. 2000;42:699 (Letter)
Vannucci SA, Mitchell WM, Stratton CW, King LE, Jr. Pyoderma gangrenosum and *Chlamydia pneumoniae* infection in a diabetic man: pathogenic role or coincidence? 2000;42:294-7 (Brief rep.)
Van Ross E (*see* Lyon et al). 2000;42:501-7 (Clin. rev.)
van Vloten WA (*see* Boonstra et al). 2000;42:199-207
van Weelden H (*see* Boonstra et al). 2000;42:199-207
Vardy D (*see* Naimer et al). 2000;42:442-5
Vargas-Díez E, Daudén E, Jones-Caballero M, García-Díez A. Madelung's disease involving the tongue. 2000;42:511-13 (Brief rep.)
Vassileva S (*see* Pramatarov et al). 2000;42:286-8 (Brief rep.)
Vazquez G (*see* Pujol et al). 2000;42:193-8
Vélez A and Moreno J-C. Second case of ranitidine-related toxic epidermal necrolysis in a patient with idiopathic thrombocytopenic purpura. 2000;42:305 (Letter)
Vinson RP (*see* Zabel et al). 2000;42:831-3 (Brief rep.)
Vittorio CC (*see* Phillips et al). 2000;42:436-41
Vives R (*see* Perez et al). 2000;42:900-2 (Case rep.)
Vodegel RM, Westerhof W (*see* Njoo et al). 2000;42:760-9
Vogt T (*see* Schiffner et al). 2000;42:25-32

W

Wagner A (*see* Katta and Wagner). 2000;42:384-5 (Case rep.)
Wahlgren C-F and Quiding H. Depth of cutaneous analgesia after application of a eutectic mixture of the local anesthetics lidocaine and prilocaine (EMLA cream). 2000;42:584-8
Wakugawa M (*see* Nakamura et al). 2000;42:1021-5
Wakui F (*see* Hara et al). 2000;42:363-5 (Case rep.)
Walsh P, Gibbs P, Gonzalez R. Newer strategies for effective evaluation of primary melanoma and treatment of stage III and IV disease. 2000;42:480-9 (Clin. update)
Wassef M (*see* Enjolras et al). 2000;42:225-35
Weber L (*see* Gottlöber et al). 2000;42:453-8
Weber PJ and Moody BR. Surgical pearl: high pressure channeled postoperative wound cleansing. 2000;42:280-2 (Pearls)
Weghorst S (*see* Gladstone et al). 2000;42:106-12 (Derm. surgery)
Weidinger G (*see* Czech et al). 2000;42:653-9 (Therapy)

Weiss J (*see* Herbst et al). 2000;42:885-7 (Case rep.)
Weiss J (*see* Schommer et al). 2000;42:290-2 (Brief rep.)
Weiss RA (*see* Goldman et al). 2000;42:849-50 (Letter)
Wentscher U and Happle R. Linear verrucous hemangioma. 2000; 42:516-18 (Brief rep.)
Werth VP (*see* Haimowitz et al). 2000;42:1069-73 (Brief rep.)
Werth VP (*see* Shapiro et al). 2000;42:297-9 (Brief rep.)
Westerhof W (*see* Njoo et al). 2000;42:245-53 (Therapy), 2000;42: 760-9
Whalen JD (*see* Chiarelli et al). 2000;42:366-70 (Case rep.)
White M (*see* Gottlieb et al). 2000;42:428-35
Whitmore SE and Glavan Sago NJ. Caliper-measured skin thickness is similar in white and black women. 2000;42:76-9
Wienecke R, Wolff H, Schaller M, Meyer H, Plewig G. Cowpox virus infection in an 11-year-old girl. 2000;42:892-4 (Case rep.)
Wilde JL (*see* Laws et al). 2000;42:827-8 (Pearls)
Wilkel CS (*see* Phillips et al). 2000;42:436-41
Wilkinson SM (*see* Sommer et al). 2000;42:332-4 (Case rep.)
Willett WC (*see* Platz et al). 2000;42:1003-7
Winger EE (*see* Mills et al). 2000;42:687-9 (Brief rep.)
Witt MD (*see* Torno et al). 2000;42:351-4 (Case rep.)
Wittkowski K (*see* Gottlieb et al). 2000;42:428-35
Wlotzke U (*see* Schiffner et al). 2000;42:25-32
Wolff H, Schaller M, Meyer H, Plewig G (*see* Wienecke et al). 2000;42:892-4 (Case rep.)
Wollina U, Graefe T, Karte K. Treatment of relapsing or recalcitrant cutaneous T-cell lymphoma with pegylated liposomal doxorubicin. 2000;42:40-6
Wong GAE (*see* Lyon et al). 2000;42:992-1002
Wong JJ, Laumann A, Martinez M. Calciphylaxis and antiphospholipid antibody syndrome. 2000;42:849 (Letter)
Wörle B (*see* Faulhaber et al). 2000;42:693-5 (Brief rep.)
Worret W-I (*see* Darsow et al). 2000;42:292-4 (Brief rep.)
Worsley J (*see* Hecker et al). 2000;42:1008-11
Wu SJ, Nguyen EQ, Nielsen TA, Pellegrini AE. Nodular tertiary syphilis mimicking granuloma annulare. 2000;42:378-80 (Case rep.)

Y

Yadav TP (*see* Sharma et al). 2000;42:241-4 (Therapy)
Yalçin N (*see* Özkan et al). 2000;42:335-8 (Case rep.)
Yamane K, Ihn H, Kubo M, Yazawa N, Kikuchi K, Soma Y, Tamaki K. Increased serum levels of soluble vascular cell adhesion molecule 1 and E-selectin in patients with localized scleroderma. 2000;42:64-9
Yang J-K (*see* Jang et al). 2000;42:1033-40 (Therapy)
Yasui H (*see* Hamamoto et al). 2000;42:685-7 (Brief rep.)
Yasukawa K (*see* Kato et al). 2000;42:914-20 (Case rep.)
Yazawa N, Kikuchi K, Ihn H, Fujimoto M, Kubo M, Tamaki T, Tamaki K. Serum levels of tissue inhibitor of metalloproteinases 2 in patients with systemic sclerosis. 2000;42:70-5
Yazawa N (*see* Yamane et al). 2000;42:64-9
Yeh JSM, Munn SE, Plunkett TA, Harper PG, Hopster DJ, du Vivier AW. Coexistence of acanthosis nigricans and the sign of Leser-Trélat in a patient with gastric adenocarcinoma: a case report and literature review. 2000;42:357-62 (Case rep.)
Yi J-Y (*see* Jang et al). 2000;42:1033-40 (Therapy)
Yiannias JA, el-Azhary RA, Hand JH, Pakzad SY, Rogers RS, III. Relevant contact sensitivities in patients with the diagnosis of oral lichen planus. 2000;42:177-82
Yoneda K (*see* Demitsu et al). 2000;42:386-8 (Case rep.)
Yoo JH (*see* Hann et al). 2000;42:589-96
Yoon TY (*see* Roh et al). 2000;42:897-9 (Case rep.)
Yoshida K (*see* Kato et al). 2000;42:914-20 (Case rep.)
Yoshiike T (*see* Suga et al). 2000;42:520-2 (Brief rep.)
Yoshizawa Y, Matsui H, Izaki S, Kitamura K, Maibach HI. Topical dinitrochlorobenzene therapy in the treatment of refractory atopic dermatitis: systemic immunotherapy. 2000;42:258-62 (Therapy)
Yu H-S (*see* Hsu et al). 2000;42:841-4 (Brief rep.)
Yueh G (*see* Hecker et al). 2000;42:1008-11

Z

Zabel RJ, Vinson RP, McCollough ML. Malignant melanoma arising in a seborrheic keratosis. 2000;42:831-3 (Brief rep.)
Zachariae H. Liver biopsies and methotrexate: a time for reconsideration? 2000;42:531-4 (Controversies)
Zachary CB (*see* Connolly et al). 2000;42:343-7 (Case rep.)
Zackheim HS. Evidence is lacking for a synergistic or additive effect of combination extracorporeal photopheresis with interferon alfa for cutaneous T-cell lymphoma. 2000;42:1087-8 (Letter)
Zelickson BD (*see* Connolly et al). 2000;42:343-7 (Case rep.)
Zillikens D (*see* Döpp et al). 2000;42:577-83
Zillikens D (*see* Mascaró et al). 2000;42:309-15 (Case rep.)
Zimerson E (*see* Lyon et al). 2000;42:501-7 (Clin. rev.)
Zirwas MJ, Hunt S, Logan TF, Abernethy JL, Seraly MP. A painful cutaneous nodule as the presentation of metastatic transitional cell carcinoma of the renal pelvis. 2000;42:867-8 (Case rep.)
Zollner T (*see* Grundmann-Kollmann et al). 2000;42:835-7 (Brief rep.)
Zone JJ (*see* Egan et al). 2000;42:381-3 (Case rep.)
Zultak M (*see* Maddin et al). 2000;42:56-63

Subject index*

A

Abscess
Subcutaneous abscesses in a patient with ulcerative colitis (Hara et al). 2000;42:363-5 (Case rep.)

Acanthamoebiasis
Cutaneous acanthamoebiasis in AIDS (Torno et al). 2000;42:351-4 (Case rep.)

Acantholysis
UVB-induced acantholysis in endemic pemphigus foliaceus (fogo selvagem) and pemphigus vulgaris (Reis et al). 2000;42:571-6

Acanthosis nigricans
Coexistence of acanthosis nigricans and the sign of Leser-Trélat in a patient with gastric adenocarcinoma: a case report and literature review (Yeh et al). 2000;42:357-62 (Case rep.)

Acne
Periorbital comedones and their relationship to pitch tar: a cross-sectional analysis and a review of the literature (Adams et al). 2000;42:624-7

Acquired brachial cutaneous dyschromatosis
Acquired brachial cutaneous dyschromatosis: a common pigmentary disorder of the arm in middle-aged women (Rongioletti and Rebora). 2000;42:680-4 (Brief rep.)

Acquired immunodeficiency syndrome
Cutaneous acanthamoebiasis in AIDS (Torno et al). 2000;42:351-4 (Case rep.)

***Acremonium* sp**
Onychomycosis caused by nondermatophytic molds: clinical features and response to treatment of 59 cases (Tosti et al). 2000;42:217-24

Acrocyanosis
Quantitative nailfold capillary microscopy findings in patients with acrocyanosis compared with patients having systemic sclerosis and control subjects (Monticone et al). 2000;42:787-90

Actinic cheilitis
Surgical pearl: scroll-shaped electrode for electrodesiccation of actinic cheilitis (Laws et al). 2000;42:827-8 (Pearls)

Actinic keratosis; *see* Carcinoma; Keratosis

Adipose tissue
Fat redistribution in HIV disease (Rodwell et al). 2000;42:727-30

Adolescents
Melanoma in situ of the oral mucosa in an adolescent with dysplastic nevus syndrome (Tremblay et al). 2000;42:844-6 (Brief rep.)

Adrenal cortex hormones
Patterns of remission in pemphigus vulgaris (Herbst and Bystryn). 2000;42:422-7

AIDS; *see* Acquired immunodeficiency syndrome

Allergens
Delayed-type hypersensitivity skin reactions caused by subcutaneous unfractionated and low-molecular-weight heparins: tolerance of a new recombinant hirudin (Koch et al). 2000;42:612-19
Follicular contact dermatitis due to polyoxyethylene laurylether (Kimura and Kawada). 2000;42:879-80 (Case rep.)
The foul side of fragrance-free products. (Scheinman) 2000;42:1087 (Letter)
Peristomal allergic contact dermatitis due to Gantrez in Stomahesive paste (Scalf and Fowler). 2000;42:355-6 (Case rep.)
Photopatch testing: the 12-year experience of the German, Austrian, and Swiss Photopatch Test Group (Neumann et al). 2000;42:183-92
Relevant contact sensitivities in patients with the diagnosis of oral lichen planus (Yiannias et al). 2000;42:177-82
Skin disorders in amputees (Lyon et al). 2000;42:501-7 (Clin. rev.)

Alopecia
Androgenetic alopecia in heterozygous carriers of a mutation in the human hairless gene (Sprecher et al). 2000;42:978-82
Finasteride and the hair cycle (Tosti and Piraccini) (Letter). 2000;42:848-9
Pseudopelade of Brocq in beard area (Madani et al). 2000;42:895-6 (Case rep.)
Sarcoidosis of the scalp: a case series and review of the literature (Katta et al). 2000;42:688-92 (Brief rep.)
Vertex balding, plasma insulin-like growth factor 1, and insulin-like growth factor binding protein 3 (Platz et al). 2000;42:1003-7

Alopecia areata
Alopecia areata update (Madani and Shapiro). 2000;42:549-66 (CME article)
Eosinophils in fibrous tracts and near hair bulbs: a helpful diagnosis feature of alopecia areata (El Darouti et al) (Letter); (Elston et al) (Reply). 2000;42:305-7
Migratory poliosis: a forme fruste of alopecia areata (Elston et al). 2000;42:1076-7 (Brief rep.)

Aluminum-silicate
Delayed-hypersensitivity granulomatous reaction induced by blepharopigmentation with aluminum-silicate (Schwarze et al). 2000;42:888-91 (Case rep.)

Amelanotic melanoma
Amelanotic melanoma: the great masquerader (Koch and Lange). 2000;42:731-4

American Academy of Dermatology
Revised classification system for inherited epidermolysis bullosa: report of the Second International Consensus Meeting on diagnosis and classification of epidermolysis bullosa (Fine et al). 2000;42:1051-66 (Special rep.)

Amputees
Skin disorders in amputees (Lyon et al). 2000;42:501-7 (Clin. rev.)

Amyloidosis
Myeloma-associated systemic amyloidosis presenting as chronic paronychia and palmodigital erythematous swelling and induration of the hands (Ahmed et al). 2000;42:338-42 (Case rep.)

Anemia
Management of porphyria cutanea tarda in the setting of chronic renal failure: a case report and review (Shieh et al). 2000;42:645-52 (Therapy)

Anesthetics
Adverse effects with EMLA cream used as topical anesthetic for the mechanical debridement of leg ulcers (Boulinguez et al). 2000;42:146-7 (Letter)

Anetoderma
Anetoderma secondary to generalized granuloma annulare (Özkan et al). 2000;42:335-8 (Case rep.)

Angioendotheliomatosis, reactive
Reactive angioendotheliomatosis in association with the antiphospholipid syndrome (Creamer et al). 2000;42:903-6 (Case rep.)

Angiolipomatosis
Protease inhibitor–associated angiolipomatosis (Dank and Colven). 2000;42:129-31 (Brief rep.)

*January, part 1, pp. 1-158; January, part 2, pp. S1-S30; February, part 1, pp. 159-308; February, part 2, pp. 309-88; March, pp. 389-548; April, pp. 549-704; May, part 1, pp. 705-858; May, part 2, pp. 859-938; June, pp. 939-1116.

Angioma serpiginosum
Angioma serpiginosum with extensive cutaneous involvement (Katta and Wagner). 2000;42:384-5 (Case rep.)
Angiomatosis, bacillary
Bacillary angiomatosis by *Bartonella quintana* in an HIV-infected patient (Santos et al). 2000;42:299-301 (Brief rep.)
Angiosarcoma
Retiform hemangioendothelioma: another tumor associated with human herpesvirus type 8? (Schommer et al). 2000;42:290-2 (Brief rep.)
Antimalarials
Patients with cutaneous lupus erythematosus who smoke are less responsive to antimalarial treatment (Jewell and McCauliffe). 2000;42:983-7
Antiphospholipid antibody syndrome
Calciphylaxis and antiphospholipid antibody syndrome (Wong et al) (Letter). 2000;42:849
Reactive angioendotheliomatosis in association with the antiphospholipid syndrome (Creamer et al). 2000;42:903-6 (Case rep.)
Apocrine miliaria
Fox-Fordyce disease: diagnosis with transverse histologic sections (Stashower et al). 2000;42:89-91 (Dermatopathology)
Apoptosis
Melanocytic nevus with pregnancy-related changes in size accompanied by apoptosis of nevus cells: a case report (Lee et al). 2000;42:936-8 (Case rep.)
Arthritis
Treatment of chronic plaque-stage psoriasis and psoriatic arthritis with mycophenolate mofetil (Grundmann-Kollmann et al). 2000;42:835-7 (Brief rep.)
***Aspergillus* sp**
Onychomycosis caused by nondermatophytic molds: clinical features and response to treatment of 59 cases (Tosti et al). 2000;42:217-24
Australia
Is the incidence of malignant melanoma decreasing in young Australians? (Czarnecki and Meehan). 2000;42:672-4 (Clin. rev.)
Autoantibodies
IgG4 and IgE are the major immunoglobulins targeting the NC16A domain of BP180 in bullous pemphigoid: serum levels of these immunoglobulins reflect disease activity (Döpp et al). 2000;42:577-83
Autoimmune disorders
A practical guide for serologic evaluation of autoimmune connective tissue diseases (Mutasim and Adams). 2000;42:159-74 (CME article)
A subepidermal bullous eruption associated with IgG autoantibodies to a 200 kd dermal antigen: the first case report from the United States (Mascaró et al). 2000;42:309-15 (Case rep.)
Azathioprine
Screening for azathioprine toxicity: a pharmacoeconomic analysis based on a target case (Tavadia et al). 2000;42:628-32

B

Balneophotochemotherapy
Phototoxicity profile of PUVA-oil bath therapy (Behrens et al). 2000;42:698 (Letter)
Bandages
Lipodermatosclerosis and compression stockings (Herouy) (Letter); (Gniadecka) (Reply). 2000;42:307-8
Bannayan-Riley-Ruvalcaba syndrome
An overlap of Cowden's disease and Bannayan-Riley-Ruvalcaba syndrome in the same family (Perriard et al). 2000;42:348-50 (Case rep.)
Barraquer-Simons disease
HIV-1 protease inhibitor–associated partial lipodystrophy: clinicopathologic review of 14 cases (Pujol et al). 2000;42:193-8
Bartonella quintana
Bacillary angiomatosis by *Bartonella quintana* in an HIV-infected patient (Santos et al). 2000;42:299-301 (Brief rep.)
Basal cell carcinoma; *see* Carcinoma
Biopsy
Liver biopsies and methotrexate: a time for reconsideration? (Zachariae et al). 2000;42:531-4 (Controversies)
Newer strategies for effective evaluation of primary melanoma and treatment of stage III and IV disease (Walsh et al). 2000;42:480-9 (Clin. update)
Surgical pearl: use of the cutaneous punch for the removal of lipomas (Christenson et al). 2000;42:675-6 (Pearls)
Biopsy, needle
Fine needle aspiration in the diagnosis of metastatic melanoma (Rodrigues et al). 2000;42:735-40
Blepharopigmentation
Delayed-hypersensitivity granulomatous reaction induced by blepharopigmentation with aluminum-silicate (Schwarze et al). 2000;42:888-91 (Case rep.)
Blisters
Spontaneous bullae over laser resurfaced skin (Alora and Dover). 2000;42:288-90 (Brief rep.)
Body dysmorphic disorder
Rate of body dysmorphic disorder in dermatology patients (Phillips et al). 2000;42:436-41
Bone mineral density
Caliper-measured skin thickness is similar in white and black women (Whitmore and Glavan). 2000;42:76-9
Book reviews
Book reviews. 2000;42:149-50, 540-1, 701-4
Botulinum toxin therapy
Botulinum toxin type A therapy for palmar and digital hyperhidrosis (Solomon and Hayman). 2000;42:1026-9 (Therapy)
Bowen's disease
Squamous cell carcinoma, not basal cell carcinoma, is the most common cancer in humans (Brand and Ackerman). 2000;42:523-6 (Opinion)
Brief reports
Brief reports. 2000;42:129-41, 283-301, 511-22, 678-95, 829-46, 1069-80
Butylated hydroxyanisole
The combination of 2% 4-hydroxyanisole (Mequinol) and 0.01% tretinoin is effective in improving the appearance of solar lentigines and related hyperpigmented lesions in two double-blind multicenter clinical studies (Fleischer et al). 2000;42:459-67

C

Calciphylaxis
Calciphylaxis and antiphospholipid antibody syndrome (Wong et al) (Letter). 2000;42:849
Calcium
Hyperreactivity of pseudoxanthoma elasticum–affected dermis to vitamin D_3 (Hamamoto et al). 2000;42:685-7 (Brief rep.)
Carbon dioxide laser surgery
Comparison of carbon dioxide laser, erbium:YAG laser, dermabrasion, and dermatome (Ross et al). 2000;42:92-105 (Derm. surgery)
Pendulaser carbon dioxide resurfacing laser versus electrodesiccation with curettage in the treatment of isolated, recalcitrant psoriatic plaques (Asawanonda et al). 2000;42:660-6 (Derm. surgery)
Carcinoma
An unusual hematopoietic proliferation seen in a nevus sebaceous (Rendleman and Stone). 2000;42:881-2 (Case rep.)
Basal cell carcinoma and risk of subsequent malignancies: a cancer registry–based study in southwest England (Bower et al). 2000;42:988-91

The case for micrographically controlled skin surgery (Lebwohl and Bernhard). 2000;42:696-7 (Editorial)
Clinical presentation of actinic keratoses and squamous cell carcinoma (Moy). 2000;42:S8-10
Coexistence of acanthosis nigricans and the sign of Leser-Trélat in a patient with gastric adenocarcinoma: a case report and literature review (Yeh et al). 2000;42:357-62 (Case rep.)
Dermatomyositis and cancer: East and West (Chan). 2000;42:699-700 (Letter)
Epidemiology of actinic keratoses and squamous cell carcinoma (Salasche). 2000;42:S4-7
From sunlight to actinic keratosis to squamous cell carcinoma (Cohn). 2000;42:143-4 (Commentary)
Histopathology of incipient intraepidermal squamous cell carcinoma ("actinic keratosis") (Cockerell). 2000;42:S11-17
Host-related and environmental risk factors for cutaneous basal cell carcinoma: evidence from an Italian case-controlled study (Naldi et al). 2000;42:446-52
A painful cutaneous nodule as the presentation of metastatic transitional cell carcinoma of the renal pelvis (Zirwas et al). 2000;42:867-8 (Case rep.)
Pediatric cutaneous malignant fibrous histiocytoma (Rothman et al). 2000;42:371-3 (Case rep.)
Residual lesions after Kasabach-Merritt phenomenon in 41 patients (Enjolras et al). 2000;42:225-35
The risk of progression to invasive disease (Glogau). 2000;42:S23-4
The scientific basis of skin cancer (Leffel). 2000;42:S18-22
Scleroderma-like reaction induced by uracil-tegafur (UFT), a second-generation anticancer agent (Kono et al). 2000;42:519-20 (Brief rep.)
Squamous cell carcinoma, not basal cell carcinoma, is the most common cancer in humans (Brand and Ackerman). 2000;42:523-6 (Opinion)
Statement on actinic keratoses (Callen). 2000;42:S1
Tumors arising in nevus sebaceus: a study of 596 cases (Cribier et al). 2000;42:263-8 (Dermatopathology)
Unplanned incomplete Mohs micrographic surgery (Madani et al). 2000;42:814-19 (Derm. surgery)
Unusual presentation of Merkel cell carcinoma (Chiarelli et al). 2000;42:366-70 (Case rep.)
Update on familial cancer syndromes and the skin (Tsao). 2000;42:939-69 (CME article)
Vascular tumors and vascular malformations: evidence for an association (Garzon et al). 2000;42:275-9 (Clin. rev.)

Cardiac pacing, artificial
Transepidermal migration of external cardiac pacing wire presenting as a cutaneous nodule (Matiwiyoff et al). 2000;42:865-6 (Case rep.)

Carney's complex
Pigmented lesions of the conjunctiva in Carney's complex (Cohen et al). 2000;42:145 (Letter)

Case reports
Case reports. 2000;42:363-88, 859-938

Chemotherapy
Mucocutaneous reactions to chemotherapy (Valks et al). 2000;42:699 (Letter)
Photodynamic therapy in dermatology (Kalka et al). 2000;42:389-413 (CME article)
Scleromyxedema: possible association with seminoma (Alfadley et al). 2000;42:875-8 (Case rep.)
Trichosporon cutaneum (Trichosporon asahii) infection mimicking hand eczema in a patient with leukemia (Nakagawa et al). 2000;42:929-31 (Case rep.)

Child abuse, sexual
Vulvitis circumscripta plasmacellularis mimicking child abuse (Albers et al). 2000;42:1078-80 (Brief rep.)

Children
An unusual hematopoietic proliferation seen in a nevus sebaceous (Rendleman and Stone). 2000;42:881-2 (Case rep.)
A case of childhood epithelioid hemangioendothelioma (Roh et al). 2000;42:897-9 (Case rep.)
Clear cell hidradenoma in a young girl (Faulhaber et al). 2000;42:693-5 (Brief rep.)
Congenital and childhood dermatofibrosarcoma protuberans: a case report and review of the literature (Checketts et al). 2000;42:907-13 (Case rep.)
Cowpox virus infection in an 11-year-old girl (Wienecke et al). 2000;42:892-4 (Case rep.)
Guttate psoriasis triggered by perianal streptococcal dermatitis in a four-year-old boy (Herbst et al). 2000;42:885-7 (Case rep.)
Pediatric cutaneous malignant fibrous histiocytoma (Rothman et al). 2000;42:371-3 (Case rep.)
Squaric acid immunotherapy for warts in children (Silverberg et al). 2000;42:803-8 (Therapy)
Summertime sun protection used by adults for their children (Robinson et al). 2000;42:746-53
Treatment of capillary hemangiomas of early childhood with a new method of cryosurgery (Reischle and Schuller-Petrovic). 2000;42:809-13 (Therapy)
Treatment of generalized vitiligo in children with narrow-band (TL-01) UVB radiation therapy (Njoo et al). 2000;42:245-53 (Therapy)
Vulvitis circumscripta plasmacellularis mimicking child abuse (Albers et al). 2000;42:1078-80 (Brief rep.)

Chlamydia pneumoniae
Pyoderma gangrenosum and *Chlamydia pneumoniae* infection in a diabetic man: pathogenic role or coincidence? (Vannucci et al). 2000;42:294-7 (Brief rep.)

Chlorambucil
The use of chlorambucil with prednisone in the treatment of pemphigus (Shah et al). 2000;42:85-8 (Therapy)

Ciprofloxacin
Ciprofloxacin-induced bullous pemphigoid (Kimyai-Asadi et al) (Letter). 2000;42:847

Clinical protocols
Management of melanoma with a multidisciplinary melanoma clinic model (Johnson et al). 2000;42:820-6 (Special rep.)

Clinical reviews
Clinical reviews. 2000;42:269-79, 501-7, 672-4

Colitis
Subcutaneous abscesses in a patient with ulcerative colitis (Hara et al). 2000;42:363-5 (Case rep.)

Color
Blue in the skin (Reisfeld). 2000;42:597-605

Comedones, periorbital
Periorbital comedones and their relationship to pitch tar: a cross-sectional analysis and a review of the literature (Adams et al). 2000;42:624-7

Commentary
Commentary. 2000;42:143-4

Connective tissue diseases
A practical guide for serologic evaluation of autoimmune connective tissue diseases (Mutasim and Adams). 2000;42:159-74 (CME article)

Continuing medical education
Continuing medical education examinations. 2000;42:21-2, 175-6, 414-16, 567-9, 723-5, 970-1
Continuing medical education examinations: answers. 2000;42:23-4, 174, 413, 570, 726, 972

Corrections
Actinically degenerate elastic tissue is the likely antigenic basis of actinic granuloma of the skin and of temporal arteritis (O'Brien and Regan) (1999;40:214-22). 2000;42:148
Current issues in dermatologic office–based surgery: correction (Geronemus). 2000;42:847

Current issues in dermatologic office–based surgery. (Joint American Academy of Dermatology/American Society of Dermatologic Surgery Liaison Committee) (1999;41:624-34). 2000;42:704

Drug interactions with itraconazole, fluconazole, and terbinafine and their management (Gupta et al) (1999;41:237-49). 2000;42:148

Immunohistochemical evaluation of androgen receptors in genital and extragenital lichen sclerosus: evidence for loss of androgen receptors in lesional epidermis (Clifton et al) (1999;41:43-6). 2000;42:148

An overview of sexually transmitted diseases. Part II (Brown et al) (1999;41:661-77). 2000;42:148

Tinea capitis: a current perspective (Elewski) (2000;42:1-20). 2000;42:704

Cosmetics

Delayed-hypersensitivity granulomatous reaction induced by blepharopigmentation with aluminum-silicate (Schwarze et al). 2000;42:888-91 (Case rep.)

Follicular contact dermatitis due to polyoxyethylene laurylether (Kimura and Kawada). 2000;42:879-80 (Case rep.)

The foul side of fragrance-free products. (Scheinman) 2000;42:1087 (Letter)

Council of Medical Specialty Societies

Consensus statement on the ethic of medicine. 2000;42:124-6 (From the Academy)

Counseling

The dermatologist, genetic counseling, and cancer-associated genodermatoses (Lynch and Fusaro). 2000;42:1081-6 (Editorial)

Cowden's disease

An overlap of Cowden's disease and Bannayan-Riley-Ruvalcaba syndrome in the same family (Perriard et al). 2000;42:348-50 (Case rep.)

Cowpox virus infection

Cowpox virus infection in an 11-year-old girl (Wienecke et al). 2000;42:892-4 (Case rep.)

Crohn's disease

Treatment with anti-tumor necrosis factor α (TNF-α) monoclonal antibody dramatically decreases the clinical activity of psoriasis lesions (Oh et al). 2000;42:829-30 (Brief rep.)

Crush injury

Surgical pearl: prompt treatment of subungual hematoma by decompression (Helms and Brodell). 2000;42:508-9 (Pearls)

Cryosurgery

Treatment of capillary hemangiomas of early childhood with a new method of cryosurgery (Reischle and Schuller-Petrovic). 2000;42:809-13 (Therapy)

Cyclosporine

A body-weight–independent dosing regimen of cyclosporine microemulsion is effective in severe atopic dermatitis and improves the quality of life (Czech et al). 2000;42:653-9 (Therapy)

D

Debridement

Adverse effects with EMLA cream used as topical anesthetic for the mechanical debridement of leg ulcers (Boulinguez et al). 2000;42:146-7 (Letter)

Dermatitis

The clinicopathologic spectrum of rhinophyma (Aloi et al). 2000;42:468-72

Follicular contact dermatitis due to polyoxyethylene laurylether (Kimura and Kawada). 2000;42:879-80 (Case rep.)

Guttate psoriasis triggered by perianal streptococcal dermatitis in a four-year-old boy (Herbst et al). 2000;42:885-7 (Case rep.)

Peristomal allergic contact dermatitis due to Gantrez in Stomahesive paste (Scalf and Fowler). 2000;42:355-6 (Case rep.)

Dermatitis, atopic

A body-weight–independent dosing regimen of cyclosporine microemulsion is effective in severe atopic dermatitis and improves the quality of life (Czech et al). 2000;42:653-9 (Therapy)

Clinical improvement and immunohistochemical findings in severe atopic dermatitis treated with interferon gamma (Jang et al). 2000;42:1033-40 (Therapy)

Long-term efficacy of medium-dose UVA1 phototherapy in atopic dermatitis (Abeck et al). 2000;42:254-7 (Therapy)

Topical dinitrochlorobenzene therapy in the treatment of refractory atopic dermatitis: systemic immunotherapy (Yoshizawa et al). 2000;42:258-62 (Therapy)

Treatment of severe atopic dermatitis by topical immune modulation using dinitrochlorobenzene (Mills et al). 2000;42:685-7 (Brief rep.)

Dermatitis, contact

Skin disorders in amputees (Lyon et al). 2000;42:501-7 (Clin. rev.)

Dermatofibrosarcoma protuberans

Congenital and childhood dermatofibrosarcoma protuberans: a case report and review of the literature (Checketts et al). 2000;42:907-13 (Case rep.)

Dermatologic surgery

Dermatologic surgery. 2000;42:92-112, 660-71, 814-19, 1041-50

Dermatology

Accessibility and reliability of cutaneous laser surgery information on the World Wide Web (Bykowski et al). 2000;42:784-6

Assessment of the accuracy of low-cost store-and-forward teledermatology consultation (High et al). 2000;42:776-83

A dermatology ward at the beginning of the 20th century (Albert and Mackool). 2000;42:113-23 (Special article)

Teledermatology as a new tool in sub-Saharan Africa: an experience from Tanzania (Schmid-Grendelmeier et al). 2000;42:833-5 (Brief rep.)

Dermatomyositis

Dermatomyositis and cancer: East and West (Chan). 2000;42:699-700 (Letter)

Dermato-neural syndrome

Scleromyxedema with dermato-neuro syndrome (Gonzalez et al). 2000;42:927-8 (Case rep.)

Dermatopathology

Dermatopathology. 2000;42:89-91, 263-8, 496-500

Dermatoscopy

Improvement of early recognition of lentigo maligna using dermatoscopy (Schiffner et al). 2000;42:25-32

Teledermatoscopy in Switzerland: a preliminary evaluation (Braun et al). 2000;42:770-5

Dermatosis

Anetoderma secondary to generalized granuloma annulare (Özkan et al). 2000;42:335-8 (Case rep.)

A case of ichthyosis linearis circumflexa successfully treated with topical tacrolimus (Suga et al). 2000;42:520-2 (Brief rep.)

Davener's dermatosis: a variant of friction hypermelanosis (Naimer et al). 2000;42:442-5

Drug-induced linear IgA bullous dermatosis after vancomycin discontinuance in a patient with renal insufficiency (Klein and Callen). 2000;42:316-23 (Case rep.)

Erysipelas-like erythema of familial Mediterranean fever: clinicopathologic correlation (Barzilai et al). 2000;42:791-5

Fox-Fordyce disease: diagnosis with transverse histologic sections (Stashower et al). 2000;42:89-91 (Dermatopathology)

Hydroa vacciniforme: a clinical and follow-up study of 17 cases (Gupta et al). 2000;42:208-13

Polymorphous light eruption: a clinical, photobiologic, and follow-up study of 110 patients (Boonstra et al). 2000;42:199-207

Potassium iodide and the Wolff-Chaikoff effect: relevance for the dermatologist (Heymann). 2000;42:490-2 (Therapy)

Sweet's syndrome in a patient with idiopathic progressive bilat-

eral sensorineural hearing loss (Pharis et al). 2000;42:932-5 (Case rep.)

Desmoglein
Development of pemphigus vulgaris in a patient with pemphigus foliaceus: antidesmoglein antibody profile shift confirmed by enzyme-linked immunosorbent assay (Ishii et al). 2000;42:859-61 (Case rep.)

Diabetes mellitus
Pyoderma gangrenosum and *Chlamydia pneumoniae* infection in a diabetic man: pathogenic role or coincidence? (Vannucci et al). 2000;42:294-7 (Brief rep.)

Digital epiluminescence microscopy
Teledermatoscopy in Switzerland: a preliminary evaluation (Braun et al). 2000;42:770-5

Digital imaging
Assessment of the accuracy of low-cost store-and-forward teledermatology consultation (High et al). 2000;42:776-83

Dinitrochlorobenzene
Topical dinitrochlorobenzene therapy in the treatment of refractory atopic dermatitis: systemic immunotherapy (Yoshizawa et al). 2000;42:258-62 (Therapy)
Treatment of severe atopic dermatitis by topical immune modulation using dinitrochlorobenzene (Mills et al). 2000;42:685-7 (Brief rep.)

Doxorubicin
Treatment of relapsing or recalcitrant cutaneous T-cell lymphoma with pegylated liposomal doxorubicin (Wollina et al). 2000;42:40-6

Drug eruptions
Fixed drug eruption due to fluconazole (Heikkilä et al). 2000;42:883-4 (Case rep.)

Dyschromatosis, acquired brachial cutaneous
Acquired brachial cutaneous dyschromatosis: a common pigmentary disorder of the arm in middle-aged women (Rongioletti and Rebora). 2000;42:680-4 (Brief rep.)

Dysplastic nevus syndrome
Melanoma in situ of the oral mucosa in an adolescent with dysplastic nevus syndrome (Tremblay et al). 2000;42:844-6 (Brief rep.)

E

Eccrine squamous syringometaplasia
Mucocutaneous reactions to chemotherapy (Valks et al). 2000;42:699 (Letter)

Edema
Solid facial edema preceding a diagnosis of retro-orbital B-cell lymphoma (Dragan et al). 2000;42:872-4 (Case rep.)

Editorials
Editorials. 2000;42:696-7, 1081-6

Elderly patients
Adverse effects with EMLA cream used as topical anesthetic for the mechanical debridement of leg ulcers (Boulinguez et al). 2000;42:146-7 (Letter)
Kaposi's varicelliform eruption of an elderly patient with multiple myeloma (Fukuzawa et al). 2000;42:921-2 (Case rep.)

Electrodesiccation
The case for micrographically controlled skin surgery (Lebwohl and Bernhard). 2000;42:696-7 (Editorial)
Intralesional electrodesiccation of sebaceous hyperplasia (Bader and Scarborough). 2000;42:127-8 (Pearls)
Pendulaser carbon dioxide resurfacing laser versus electrodesiccation with curettage in the treatment of isolated, recalcitrant psoriatic plaques (Asawanonda et al). 2000;42:660-6 (Derm. surgery)
Surgical pearl: scroll-shaped electrode for electrodesiccation of actinic cheilitis (Laws et al). 2000;42:827-8 (Pearls)

EMLA cream
Depth of cutaneous analgesia after application of a eutectic mixture of the local anesthetics lidocaine and prilocaine (EMLA cream) (Wahlgren and Quiding). 2000;42:584-8

Enzyme-linked immunosorbent assay
Development of pemphigus vulgaris in a patient with pemphigus foliaceus: antidesmoglein antibody profile shift confirmed by enzyme-linked immunosorbent assay (Ishii et al). 2000;42:859-61 (Case rep.)

Eosinophils
Eosinophils in fibrous tracts and near hair bulbs: a helpful diagnostic feature of alopecia areata (El Darouti et al) (Letter); (Elston et al) (Reply). 2000;42:305-7

Epidemiology
Is the incidence of malignant melanoma decreasing in young Australians? (Czarnecki and Meehan). 2000;42:672-4 (Clin. rev.)

Epidermal necrolysis, toxic
Second case of ranitidine-related toxic epidermal necrolysis in a patient with idiopathic thrombocytopenic purpura (Vélez and Moreno). 2000;42:305 (Letter)

Epidermolysis bullosa
Revised classification system for inherited epidermolysis bullosa: report of the Second International Consensus Meeting on diagnosis and classification of epidermolysis bullosa (Fine et al). 2000;42:1051-66 (Special rep.)

Erbium laser surgery
Comparison of carbon dioxide laser, erbium:YAG laser, dermabrasion, and dermatome (Ross et al). 2000;42:92-105 (Derm. surgery)

Erysipelas-like erythema
Erysipelas-like erythema of familial Mediterranean fever: clinicopathologic correlation (Barzilai et al). 2000;42:791-5

Erythema
Annular erythema of Sjögren's syndrome in a white woman (Haimowitz et al). 2000;42:1069-73 (Brief rep.)
Computer palms (Lewis et al). 2000;42:1073-5 (Brief rep.)
Mucocutaneous reactions to chemotherapy (Valks et al). 2000;42:699 (Letter)
Solid facial edema preceding a diagnosis of retro-orbital B-cell lymphoma (Dragan et al). 2000;42:872-4 (Case rep.)

Erythromycin
Erythromycin in pityriasis rosea: a double-blind, placebo-controlled clinical trial (Sharma et al). 2000;42:241-4 (Therapy)

E-selectin
Increased serum levels of soluble vascular cell adhesion molecule 1 and E-selectin in patients with localized scleroderma (Yamane et al). 2000;42:64-9

Ethics
Consensus statement on the ethic of medicine (Council of Medical Specialty Societies). 2000;42:124-6 (From the Academy)

Eye
Pigmented lesions of the conjunctiva in Carney's complex (Cohen et al). 2000;42:145 (Letter)

F

Face
Pseudopelade of Brocq in beard area (Madani et al). 2000;42:895-6 (Case rep.)
Spontaneous bullae over laser resurfaced skin (Alora and Dover). 2000;42:288-90 (Brief rep.)
The use of full-thickness skin grafts to repair nonperforating nasal defects (Gloster). 2000;42:1041-50 (Derm. surgery)

Factor V Leiden mutation
Abdominal nodules as a presentation of obstruction of the inferior vena cava and factor V Leiden mutation (García-Doval et al). 2000;42:862-4 (Case rep.)

Familial Mediterranean fever
Erysipelas-like erythema of familial Mediterranean fever: clinicopathologic correlation (Barzilai et al). 2000;42:791-5

Fasciola hepatica
Recurrent eosinophilic panniculitis associated with *Fasciola hepatica* infection (Perez et al). 2000;42:900-2 (Case rep.)
Fibroblast growth factor, basic
Altered basic fibroblast growth factor expression in common epidermal neoplasms: examination with in situ hybridization and immunohistochemistry (Arbiser et al). 2000;42:973-7
Finasteride
Finasteride and the hair cycle (Tosti and Piraccini) (Letter). 2000;42:848-9
Fluconazole
Fixed drug eruption due to fluconazole (Heikkilä et al). 2000;42:883-4 (Case rep.)
Tinea capitis: a current perspective (Elewski). 2000;42:1-20 (CME article)
Fox-Fordyce disease
Fox-Fordyce disease: diagnosis with transverse histologic sections (Stashower et al). 2000;42:89-91 (Dermatopathology)
Fragrance allergy; *see* Allergens; Cosmetics
***Fusarium* sp**
Onychomycosis caused by nondermatophytic molds: clinical features and response to treatment of 59 cases (Tosti et al). 2000;42:217-24

G

Gantrez
Peristomal allergic contact dermatitis due to Gantrez in Stomahesive paste (Scalf and Fowler). 2000;42:355-6 (Case rep.)
Genes
Androgenetic alopecia in heterozygous carriers of a mutation in the human hairless gene (Sprecher et al). 2000;42:978-82
The scientific basis of skin cancer (Leffell). 2000;42:S18-22
Statement on actinic keratoses (Callen). 2000;42:S1
Genetics
The dermatologist, genetic counseling, and cancer-associated genodermatoses (Lynch and Fusaro). 2000;42:1081-6 (Editorial)
Melanoma genetics: an update with focus on the CDKN2A(p16)/ARF tumor suppressors (Piepkorn). 2000;42:705-22 (CME article)
Multiple familial cutaneous glomangioma: a pedigree of 4 generations and critical analysis of histologic and genetic differences of glomus tumors (Blume-Peytavi et al). 2000;42:633-9
Revised classification system for inherited epidermolysis bullosa: report of the Second International Consensus Meeting on diagnosis and classification of epidermolysis bullosa (Fine et al). 2000;42:1051-66 (Special rep.)
Update on familial cancer syndromes and the skin (Tsao). 2000;42:939-69 (CME article)
Glomangioma, cutaneous
Multiple familial cutaneous glomangioma: a pedigree of 4 generations and critical analysis of histologic and genetic differences of glomus tumors (Blume-Peytavi et al). 2000;42:633-9
Graft-versus-host disease
Chronic sclerodermic graft-versus-host disease refractory to immunosuppressive treatment responds to UVA_1 phototherapy (Grundmann-Kollmann et al). 2000;42:135-6 (Brief rep.)
Granuloma
Transepidermal migration of external cardiac pacing wire presenting as a cutaneous nodule (Matiwiyoff et al). 2000;42:865-6 (Case rep.)
Granuloma annulare
Anetoderma secondary to generalized granuloma annulare (Özkan et al). 2000;42:335-8 (Case rep.)
Nodular tertiary syphilis mimicking granuloma annulare (Wu et al). 2000;42:378-80 (Case rep.)
Patch granuloma annulare: clinicopathologic study of 6 patients (Mutasim and Bridges). 2000;42:417-21
Griseofulvin
Comparison of terbinafine and griseofulvin in the treatment of tinea capitis (Cáceres-Ríos et al). 2000;42:80-5 (Therapy)

H

Hair
Androgenetic alopecia in heterozygous carriers of a mutation in the human hairless gene (Sprecher et al). 2000;42:978-82
Finasteride and the hair cycle (Tosti and Piraccini) (Letter). 2000;42:848-9
Migratory poliosis: a forme fruste of alopecia areata (Elston et al). 2000;42:1076-7 (Brief rep.)
Pseudopelade of Brocq in beard area (Madani et al). 2000;42:895-6 (Case rep.)
Hamartoma syndrome, multiple
An overlap of Cowden's disease and Bannayan-Riley-Ruvalcaba syndrome in the same family (Perriard et al). 2000;42:348-50 (Case rep.)
Hands
Botulinum toxin type A therapy for palmar and digital hyperhidrosis (Solomon and Hayman). 2000;42:1026-9 (Therapy)
Computer palms (Lewis et al). 2000;42:1073-5 (Brief rep.)
Myeloma-associated systemic amyloidosis presenting as chronic paronychia and palmodigital erythematous swelling and induration of the hands (Ahmed et al). 2000;42:338-42 (Case rep.)
Hearing loss, bilateral sensorineural
Sweet's syndrome in a patient with idiopathic progressive bilateral sensorineural hearing loss (Pharis et al). 2000;42:932-5 (Case rep.)
Helicobacter pylori
Does *Helicobacter pylori* eradication treatment reduce the severity of rosacea? (Bamford et al) (Letter); (Utaş et al) (Reply). 2000;42:535-6
Does *Helicobacter pylori* eradication treatment reduce the severity of rosacea? (Hirschmann) (Letter) (Utaş et al) (Reply). 2000;42:537-9
Helicobacter pylori: related to rosacea? (Grilli and Fernández) (Letter); (Utaş et al) (Reply). 2000;42:536-7
Hemangioendothelioma
A case of childhood epithelioid hemangioendothelioma (Roh et al). 2000;42:897-9 (Case rep.)
Retiform hemangioendothelioma: another tumor associated with human herpesvirus type 8? (Schommer et al). 2000;42:290-2 (Brief rep.)
Hemangioma, capillary
Lobular capillary hemangiomas: an epidemiological report, with emphasis on cutaneous lesions (Harris et al). 2000;42:1012-6
Treatment of capillary hemangiomas of early childhood with a new method of cryosurgery (Reischle and Schuller-Petrovic). 2000;42:809-13 (Therapy)
Hemangioma, verrucous
Linear verrucous hemangioma (Wentscher and Happle). 2000;42:516-18 (Brief rep.)
Hematoma
Surgical pearl: prompt treatment of subungual hematoma by decompression (Helms and Brodell). 2000;42:508-9 (Pearls)
Heparin
Delayed-type hypersensitivity skin reactions caused by subcutaneous unfractionated and low-molecular-weight heparins: tolerance of a new recombinant hirudin (Koch et al). 2000;42:612-19
Hidradenoma, clear cell
Clear cell hidradenoma in a young girl (Faulhaber et al). 2000;42:693-5 (Brief rep.)
Hirudin
Delayed-type hypersensitivity skin reactions caused by subcuta-

neous unfractionated and low-molecular-weight heparins: tolerance of a new recombinant hirudin (Koch et al). 2000;42:61219

Histiocytoma, fibrous

Pediatric cutaneous malignant fibrous histiocytoma (Rothman et al). 2000;42:371-3 (Case rep.)

History of medicine, 20th century

A dermatology ward at the beginning of the 20th century (Albert and Mackool). 2000;42:113-23 (Special article)

Human herpesvirus 8

Retiform hemangioendothelioma: another tumor associated with human herpesvirus type 8? (Schommer et al). 2000;42: 290-2 (Brief rep.)

Human immunodeficiency virus

Bacillary angiomatosis by *Bartonella quintana* in an HIV-infected patient (Santos et al). 2000;42:299-301 (Brief rep.)

Fat redistribution in HIV disease (Rodwell et al). 2000;42:727-30

HIV-1 protease inhibitor–associated partial lipodystrophy: clinicopathologic review of 14 cases (Pujol et al). 2000;42:193-8

A painful cutaneous nodule as the presentation of metastatic transitional cell carcinoma of the renal pelvis (Zirwas et al). 2000;42:867-8 (Case rep.)

Protease inhibitor–associated angiolipomatosis (Dank and Colven). 2000;42:129-31 (Brief rep.)

Hydroa vacciniforme

Hydroa vacciniforme: a clinical and follow-up study of 17 cases (Gupta et al). 2000;42:208-13

Hyperhidrosis

Botulinum toxin type A therapy for palmar and digital hyperhidrosis (Solomon and Hayman). 2000;42:1026-9 (Therapy)

Hyperparathyroidism

Calciphylaxis and antiphospholipid antibody syndrome (Wong et al) (Letter). 2000;42:849

Hyperplasia

Intralesional electrodesiccation of sebaceous hyperplasia (Bader and Scarborough). 2000;42:127-8 (Pearls)

Hypersensitivity

Delayed-type hypersensitivity skin reactions caused by subcutaneous unfractionated and low-molecular-weight heparins: tolerance of a new recombinant hirudin (Koch et al). 2000;42: 612-19

I

Ichthyosis

Anaplastic large-cell lymphoma associated with acquired ichthyosis (Kato et al). 2000;42:914-20 (Case rep.)

A case of ichthyosis linearis circumflexa successfully treated with topical tacrolimus (Suga et al). 2000;42:520-2 (Brief rep.)

Ideas

Ideas. 2000;42:302-3

Immunoglobulins

IgG4 and IgE are the major immunoglobulins targeting the NC16A domain of BP180 in bullous pemphigoid: serum levels of these immunoglobulins reflect disease activity (Döpp et al). 2000;42:577-83

A subepidermal bullous eruption associated with IgG autoantibodies to a 200 kd dermal antigen: the first case report from the United States (Mascaró et al). 2000;42:309-15 (Case rep.)

Immunotherapy

Alopecia areata update (Madani and Shapiro). 2000;42:549-66 (CME article)

Clinical improvement and immunohistochemical findings in severe atopic dermatitis treated with interferon gamma (Jang et al). 2000;42:1033-40 (Therapy)

Effects of administration of a single dose of a humanized monoclonal antibody to CD11a on the immunobiology and clinical activity of psoriasis (Gottlieb). 2000;42:428-35

Screening for azathioprine toxicity: a pharmacoeconomic analysis based on a target case (Tavadia et al). 2000;42:628-32

Squaric acid immunotherapy for warts in children (Silverberg et al). 2000;42:803-8 (Therapy)

Topical dinitrochlorobenzene therapy in the treatment of refractory atopic dermatitis: systemic immunotherapy (Yoshizawa et al). 2000;42:258-62 (Therapy)

Treatment of severe atopic dermatitis by topical immune modulation using dinitrochlorobenzene (Mills et al). 2000;42:685-7 (Brief rep.)

Infection

Cowpox virus infection in an 11-year-old girl (Wienecke et al). 2000;42:892-4 (Case rep.)

Recurrent eosinophilic panniculitis associated with *Fasciola hepatica* infection (Perez et al). 2000;42:900-2 (Case rep.)

Trichosporon cutaneum (Trichosporon asahii) infection mimicking hand eczema in a patient with leukemia (Nakagawa et al). 2000;42:929-31 (Case rep.)

Informed consent

To be or not to be—fully informed (Shelley and Shelley). 2000;42:142 (Opinion)

Insulin-like growth factor 1

Vertex balding, plasma insulin-like growth factor 1, and insulin-like growth factor binding protein 3 (Platz et al). 2000;42:1003-7

Insulin-like growth factor binding protein 3

Vertex balding, plasma insulin-like growth factor 1, and insulin-like growth factor binding protein 3 (Platz et al). 2000;42: 1003-7

Interferon-alfa

Evidence is lacking for a synergistic or additive effect of combination extracorporeal photopheresis with interferon alfa for cutaneous T-cell lymphoma (Zackheim) (Letter) (Fimiani et al) (Reply). 2000;42:1087-8-1087-8

Interferon-gamma

Clinical improvement and immunohistochemical findings in severe atopic dermatitis treated with interferon gamma (Jang et al). 2000;42:1033-40 (Therapy)

Internet

Accessibility and reliability of cutaneous laser surgery information on the World Wide Web (Bykowski et al). 2000;42:784-6

Teledermatology as a new tool in sub-Saharan Africa: an experience from Tanzania (Schmid-Grendelmeier et al). 2000;42: 833-5 (Brief rep.)

Iotaderma

Iotaderma. 2000;42:128, 282, 510, 677, 828, 1068

Isotretinoin

Isotretinoin improves the appearance of photodamaged skin: results of a 36-week, multicenter, double-blind, placebo-controlled trial (Maddin et al). 2000;42:56-63

Itraconazole

Tinea capitis: a current perspective (Elewski). 2000;42:1-20 (CME article)

Ivermectin

A comparative study of oral ivermectin and topical permethrin cream in the treatment of scabies (Usha and Gopalakrishnan Nair). 2000;42:236-40 (Therapy)

K

Kaposi's varicelliform eruption

Kaposi's varicelliform eruption of an elderly patient with multiple myeloma (Fukuzawa et al). 2000;42:921-2 (Case rep.)

Kasabach-Merritt phenomenon

Residual lesions after Kasabach-Merritt phenomenon in 41 patients (Enjolras et al). 2000;42:225-35

Keratoacanthoma

Expression of the cyclin-dependent kinase inhibitor p27 in keratoacanthoma (Hu et al). 2000;42:473-5

Keratosis

Clinical presentation of actinic keratoses and squamous cell carcinoma (Moy). 2000;42:S8-10

Epidemiology of actinic keratoses and squamous cell carcinoma (Salasche). 2000;42:S4-7
From sunlight to actinic keratosis to squamous cell carcinoma (Cohn). 2000;42:143-4 (Commentary)
Histopathology of incipient intraepidermal squamous cell carcinoma ("actinic keratosis") (Cockerell). 2000;42:S11-17
Introductory remarks (Callen). 2000;42:S2-3
Panel discussion and concluding remarks (Callen). 2000;42:S29-30
PUVA-related punctate keratoses of the hands and feet (Turner et al). 2000;42:476-9
The risk of progression to invasive disease (Glogau). 2000;42:S23-4
Squamous cell carcinoma, not basal cell carcinoma, is the most common cancer in humans (Brand and Ackerman). 2000;42:523-6 (Opinion)
Statement on actinic keratoses (Callen). 2000;42:S1
The treatment of actinic keratoses (Dinehart). 2000;42:S25-8

Keratosis, seborrheic
Malignant melanoma arising in a seborrheic keratosis (Zabel et al). 2000;42:831-3 (Brief rep.)

Kidney failure
Calciphylaxis and antiphospholipid antibody syndrome (Wong et al) (Letter). 2000;42:849
Drug-induced linear IgA bullous dermatosis after vancomycin discontinuance in a patient with renal insufficiency (Klein and Callen). 2000;42:316-23 (Case rep.)
Management of porphyria cutanea tarda in the setting of chronic renal failure: a case report and review (Shieh et al). 2000;42:645-52 (Therapy)

Kidney transplantation
Skin cancer in kidney transplant recipients and different long-term immunosuppressive therapy regimens (Jensen et al). 2000;42:307 (Letter)

Kinase inhibitors p27
Expression of the cyclin-dependent kinase inhibitor p27 in keratoacanthoma (Hu et al). 2000;42:473-5

L

Laser surgery
Accessibility and reliability of cutaneous laser surgery information on the World Wide Web (Bykowski et al). 2000;42:784-6
Comparison of carbon dioxide laser, erbium:YAG laser, dermabrasion, and dermatome (Ross et al). 2000;42:92-105 (Derm. surgery)
Pulsed dye laser treatment of port-wine stains in pigmented skin (Sommer and Sheehan-Dare). 2000;42:667-71 (Derm. surgery)
Spontaneous bullae over laser resurfaced skin (Alora and Dover). 2000;42:288-90 (Brief rep.)

Laser therapy
Depigmentation therapy in vitiligo universalis with topical 4-methoxyphenol and the Q-switched ruby laser (Njoo et al). 2000;42:760-9
Exogenous ochronosis (Kramer et al). 2000;42:869-71 (Case rep.)
Treatment of spider veins with the 595 nm pulsed-dye laser (Goldman et al) (Letter). 2000;42:849-50

Leg
Lipodermatosclerosis and compression stockings (Herouy) (Letter); (Gniadecka) (Reply). 2000;42:307-8

Lentigo maligna
Improvement of early recognition of lentigo maligna using dermatoscopy (Schiffner et al). 2000;42:25-32

Leser-Trélat sign
Coexistence of acanthosis nigricans and the sign of Leser-Trélat in a patient with gastric adenocarcinoma: a case report and literature review (Yeh et al). 2000;42:357-62 (Case rep.)

Letters
Letters. 2000;42:145-7, 305-8, 535-8, 698-700, 847-50, 1087-8

Leukemia
Ciprofloxacin-induced bullous pemphigoid (Kimyai-Asadi et al) (Letter). 2000;42:847
Trichosporon cutaneum (Trichosporon asahii) infection mimicking hand eczema in a patient with leukemia (Nakagawa et al). 2000;42:929-31 (Case rep.)

Leukotriene B_4
Exacerbation of pustulosis palmaris et plantaris after topical application of metals accompanied by elevated levels of leukotriene B_4 in pustules (Nakamura et al). 2000;42:1021-5

Lichen planus
Lichen planus pemphigoides with IgG autoantibodies to the 180 kd bullous pemphigoid antigen (type XVII collagen) (Hsu et al). 2000;42:136-41 (Brief rep.)
Relevant contact sensitivities in patients with the diagnosis of oral lichen planus (Yiannias et al). 2000;42:177-82

Lidocaine
Depth of cutaneous analgesia after application of a eutectic mixture of the local anesthetics lidocaine and prilocaine (EMLA cream) (Wahlgren and Quiding). 2000;42:584-8

Lipodermatosclerosis
Lipodermatosclerosis and compression stockings (Herouy) (Letter); (Gniadecka) (Reply). 2000;42:307-8

Lipodystrophy
HIV-1 protease inhibitor–associated partial lipodystrophy: clinicopathologic review of 14 cases (Pujol et al). 2000;42:193-8

Lipoma
Surgical pearl: use of the cutaneous punch for the removal of lipomas (Christenson et al). 2000;42:675-6 (Pearls)

Lipomatosis, benign symmetrical
Fat redistribution in HIV disease (Rodwell et al). 2000;42:727-30

Lipomatosis, multiple symmetrical
Madelung's disease involving the tongue (Vargas-Díez et al). 2000;42:511-13 (Brief rep.)

Lupus erythematosus
Patients with cutaneous lupus erythematosus who smoke are less responsive to antimalarial treatment (Jewell and McCauliffe). 2000;42:983-7
Reactive angioendotheliomatosis in association with the antiphospholipid syndrome (Creamer et al). 2000;42:903-6 (Case rep.)
Subacute cutaneous lupus erythematosus presenting with generalized poikiloderma (Pramatarov et al). 2000;42:286-8 (Brief rep.)

Lymph node excision
Newer strategies for effective evaluation of primary melanoma and treatment of stage III and IV disease (Walsh et al). 2000;42:480-9 (Clin. update)
Sentinel lymph node biopsy as an adjunct to management of histologically difficult to diagnose melanocytic lesions: a proposal (Kelley and Cockerell). 2000;42:527-30 (For discussion)

Lymphoma
Anaplastic large-cell lymphoma associated with acquired ichthyosis (Kato et al). 2000;42:914-20 (Case rep.)

Lymphoma, B-cell
Solid facial edema preceding a diagnosis of retro-orbital B-cell lymphoma (Dragan et al). 2000;42:872-4 (Case rep.)

Lymphoma, T-cell
Evidence is lacking for a synergistic or additive effect of combination extracorporeal photopheresis with interferon alfa for cutaneous T-cell lymphoma (Zackheim) (Letter) (Fimiani et al) (Reply). 2000;42:1087-8-1087-8
Hypopigmented mycosis fungoides: treatment and a 6½-year follow-up of 9 patients (Akaraphanth et al). 2000;42:33-9
Invisible mycosis fungoides: a diagnostic challenge (Pujol et al). 2000;42:324-8 (Case rep.)
Treatment of relapsing or recalcitrant cutaneous T-cell lymphoma with pegylated liposomal doxorubicin (Wollina et al). 2000;42:40-6

Unilesional cutaneous T-cell lymphoma: clinical features, therapy, and follow-up of 10 patients with a treatment-responsive mycosis fungoides variant (Heald and Glusac). 2000;42:283-5 (Brief rep.)

Lymphoproliferative disorders

Cutaneous presentation of posttransplant lymphoproliferative disorder (Schumann et al). 2000;42:923-6 (Case rep.)

M

Macroglossia

Madelung's disease involving the tongue (Vargas-Díez et al). 2000;42:511-13 (Brief rep.)

Magnetic resonance imaging

Linear verrucous hemangioma (Wentscher and Happle). 2000;42:516-18 (Brief rep.)

The radiation accident in Georgia: clinical appearance and diagnosis of cutaneous radiation syndrome (Gottlöber et al). 2000;42:453-8

Matrix metalloproteinases

Serum levels of tissue inhibitor of metalloproteinases 2 in patients with systemic sclerosis (Yazawa et al). 2000;42:70-5

Melan-A (MART-1)

A comparative immunohistochemical study of MART-1 expression in Spitz nevi, ordinary melanocytic nevi, and malignant melanomas (Bergman et al). 2000;42:496-500 (Dermatopathology)

Melanoma

The ABC rule for clinical detection of subungual melanoma (Levit et al). 2000;42:269-74 (Clin. rev.)

Amelanotic melanoma: the great masquerader (Koch and Lange). 2000;42:731-4

Basal cell carcinoma and risk of subsequent malignancies: a cancer registry–based study in southwest England (Bower et al). 2000;42:988-91

A comparative immunohistochemical study of MART-1 expression in Spitz nevi, ordinary melanocytic nevi, and malignant melanomas (Bergman et al). 2000;42:496-500 (Dermatopathology)

Detection of artificial changes in mole size by skin self-examination (Muhn et al). 2000;42:754-9

The expression of $p16^{INK4A}$, the product of a tumor suppressor gene for melanoma, is upregulated in human melanocytes by UVB irradiation (Piepkorn). 2000;42:741-5

Fine needle aspiration in the diagnosis of metastatic melanoma (Rodrigues et al). 2000;42:735-40

Improvement of early recognition of lentigo maligna using dermatoscopy (Schiffner et al). 2000;42:25-32

Is the incidence of malignant melanoma decreasing in young Australians? (Czarnecki and Meehan). 2000;42:672-4 (Clin. rev.)

Malignant melanoma arising in a seborrheic keratosis (Zabel et al). 2000;42:831-3 (Brief rep.)

Management of melanoma with a multidisciplinary melanoma clinic model (Johnson et al). 2000;42:820-6 (Special report)

Melanoma and pesticides: is there a connection? (Burkhart and Burkhart). 2000;42:302-3 (Ideas)

Melanoma genetics: an update with focus on the CDKN2A(p16)/ARF tumor suppressors (Piepkorn). 2000;42:705-22 (CME article)

Melanoma in situ of the oral mucosa in an adolescent with dysplastic nevus syndrome (Tremblay et al). 2000;42:844-6 (Brief rep.)

Melanoma in situ of the penis (Demitsu et al). 2000;42:386-8 (Case rep.)

Newer strategies for effective evaluation of primary melanoma and treatment of stage III and IV disease (Walsh et al). 2000;42:480-9 (Clin. update)

Sentinel lymph node biopsy as an adjunct to management of histologically difficult to diagnose melanocytic lesions: a proposal (Kelley and Cockerell). 2000;42:527-30 (For discussion)

The value of positron emission tomography scanning in the detection of subclinical metastatic melanoma (Acland et al). 2000;42:606-11

Melanosis

Davener's dermatosis: a variant of friction hypermelanosis (Naimer et al). 2000;42:442-5

Melanotic macules, genital

Genital melanotic macules: clinical, histologic, immunohistochemical, and ultrastructural features (Lenane et al). 2000;42:640-4

Merkel cell carcinoma

Unusual presentation of Merkel cell carcinoma (Chiarelli et al). 2000;42:366-70 (Case rep.)

Metals

Exacerbation of pustulosis palmaris et plantaris after topical application of metals accompanied by elevated levels of leukotriene B_4 in pustules (Nakamura et al). 2000;42:1021-5

Metastasis

Amelanotic melanoma: the great masquerader (Koch and Lange). 2000;42:731-4

Fine needle aspiration in the diagnosis of metastatic melanoma (Rodrigues et al). 2000;42:735-40

A painful cutaneous nodule as the presentation of metastatic transitional cell carcinoma of the renal pelvis (Zirwas et al). 2000;42:867-8 (Case rep.)

Methotrexate

Liver biopsies and methotrexate: a time for reconsideration? (Zachariae et al). 2000;42:531-4 (Controversies)

4-Methoxyphenol

Depigmentation therapy in vitiligo universalis with topical 4-methoxyphenol and the Q-switched ruby laser (Njoo et al). 2000;42:760-9

Microscopy

Confirmation of onychomycosis by in vivo confocal microscopy (Hongcharu et al). 2000;42:214-16

Quantitative nailfold capillary microscopy findings in patients with acrocyanosis compared with patients having systemic sclerosis and control subjects (Monticone et al). 2000;42:787-90

Mohs surgery

The case for micrographically controlled skin surgery (Lebwohl and Bernhard). 2000;42:696-7 (Editorial)

Double nicking of Mohs tissue specimen (Adams and Gloster). 2000;42:1067-8 (Pearls)

Unplanned incomplete Mohs micrographic surgery (Madani et al). 2000;42:814-19 (Derm. surgery)

Virtual reality for dermatologic surgery: virtually a reality in the 21st century (Gladstone et al). 2000;42:106-12 (Derm. surgery)

Multiple myeloma

Kaposi's varicelliform eruption of an elderly patient with multiple myeloma (Fukuzawa et al). 2000;42:921-2 (Case rep.)

Muscles

Subcutaneous oleomas induced by self-injection of sesame oil for muscle augmentation (Darsow et al). 2000;42:292-4 (Brief rep.)

Mycophenolate mofetil

Pemphigus foliaceus successfully treated with mycophenolate mofetil as a steroid-sparing agent (Katz et al). 2000;42:514-15 (Brief rep.)

Treatment of chronic plaque-stage psoriasis and psoriatic arthritis with mycophenolate mofetil (Grundmann-Kollmann et al). 2000;42:835-7 (Brief rep.)

Mycophenolic acid

Lack of efficacy of topical mycophenolic acid in psoriasis vulgaris (Geilen and Mrowietz). 2000;42:837-40 (Brief rep.)

Mycosis fungoides

Hypopigmented mycosis fungoides: treatment and a 6½-year follow-up of 9 patients (Akaraphanth et al). 2000;42:33-9

Invisible mycosis fungoides: a diagnostic challenge (Pujol et al). 2000;42:324-8 (Case rep.)

Unilesional cutaneous T-cell lymphoma: clinical features, therapy,

and follow-up of 10 patients with a treatment-responsive mycosis fungoides variant (Heald and Glusac). 2000;42:283-5 (Brief rep.)

N

Nails
The ABC rule for clinical detection of subungual melanoma (Levit et al). 2000;42:269-74 (Clin. rev.)
Confirmation of onychomycosis by in vivo confocal microscopy (Hongcharu et al). 2000;42:214-16
Onychomycosis caused by nondermatophytic molds: clinical features and response to treatment of 59 cases (Tosti et al). 2000;42:217-24
Quantitative nailfold capillary microscopy findings in patients with acrocyanosis compared with patients having systemic sclerosis and control subjects (Monticone et al). 2000;42:787-90

National Epidermolysis Bullosa Registry
Revised classification system for inherited epidermolysis bullosa: report of the Second International Consensus Meeting on diagnosis and classification of epidermolysis bullosa (Fine et al). 2000;42:1051-66 (Special rep.)

Neoplasm(s)
Altered basic fibroblast growth factor expression in common epidermal neoplasms: examination with in situ hybridization and immunohistochemistry (Arbiser et al). 2000;42: 973-7
Anaplastic large-cell lymphoma associated with acquired ichthyosis (Kato et al). 2000;42:914-20 (Case rep.)
Clear cell hidradenoma in a young girl (Faulhaber et al). 2000; 42:693-5 (Brief rep.)
Congenital and childhood dermatofibrosarcoma protuberans: a case report and review of the literature (Checketts et al). 2000;42:907-13 (Case rep.)
Cutaneous presentation of posttransplant lymphoproliferative disorder (Schumann et al). 2000;42:923-6 (Case rep.)
Expression of the cyclin-dependent kinase inhibitor p27 in keratoacanthoma (Hu et al). 2000;42:473-5
Host-related and environmental risk factors for cutaneous basal cell carcinoma: evidence from an Italian case-controlled study (Naldi et al). 2000;42:446-52
Lobular capillary hemangiomas: an epidemiological report, with emphasis on cutaneous lesions (Harris et al). 2000;42: 1012-6
Scleromyxedema: possible association with seminoma (Alfadley et al). 2000;42:875-8 (Case rep.)
Scleromyxedema with dermato-neuro syndrome (Gonzalez et al). 2000;42:927-8 (Case rep.)

Neoplasm metastasis
The value of positron emission tomography scanning in the detection of subclinical metastatic melanoma (Acland et al). 2000;42:606-11

Nevus
A comparative immunohistochemical study of MART-1 expression in Spitz nevi, ordinary melanocytic nevi, and malignant melanomas (Bergman et al). 2000;42:496-500 (Dermatopathology)
Detection of artificial changes in mole size by skin self-examination (Muhn et al). 2000;42:754-9
Newer strategies for effective evaluation of primary melanoma and treatment of stage III and IV disease (Walsh et al). 2000;42:527-30 (For discussion)
Tumors arising in nevus sebaceus: a study of 596 cases (Cribier et al). 2000;42:263-8 (Dermatopathology)
An unusual hematopoietic proliferation seen in a nevus sebaceous (Rendleman and Stone). 2000;42:881-2 (Case rep.)

Nevus, pigmented
Melanocytic nevus with pregnancy-related changes in size accompanied by apoptosis of nevus cells: a case report (Lee et al). 2000;42:936-8 (Case rep.)

Nose
The use of full-thickness skin grafts to repair nonperforating nasal defects (Gloster). 2000;42:1041-50 (Derm. surgery)

O

Ochronosis
Exogenous ochronosis (Kramer et al). 2000;42:869-71 (Case rep.)

Oleomas
Subcutaneous oleomas induced by self-injection of sesame oil for muscle augmentation (Darsow et al). 2000;42:292-4 (Brief rep.)

Onychomycosis
Confirmation of onychomycosis by in vivo confocal microscopy (Hongcharu et al). 2000;42:214-16
Onychomycosis caused by nondermatophytic molds: clinical features and response to treatment of 59 cases (Tosti et al). 2000;42:217-24

Opinion
To be or not to be-fully informed (Shelley and Shelley). 2000; 42:142 (Opinion)

Orf virus
Orf contamination may occur during religious events (Ghislain et al) (Letter). 2000;42:848

P

Panniculitis
Abdominal nodules as a presentation of obstruction of the inferior vena cava and factor V Leiden mutation (García-Doval et al). 2000;42:862-4 (Case rep.)
Recurrent eosinophilic panniculitis associated with *Fasciola hepatica* infection (Perez et al). 2000;42:900-2 (Case rep.)

Paragangliomas
Multiple familial cutaneous glomangioma: a pedigree of 4 generations and critical analysis of histologic and genetic differences of glomus tumors (Blume-Peytavi et al). 2000;42:633-9

Parents
Summertime sun protection used by adults for their children (Robinson et al). 2000;42:746-53

Paronychia
Myeloma-associated systemic amyloidosis presenting as chronic paronychia and palmodigital erythematous swelling and induration of the hands (Ahmed et al). 2000;42:338-42 (Case rep.)

Pearls
Surgical pearls. 2000;42:127-8, 280-2, 508-9, 675-6, 827-8, 1067-8

Pemphigoid, bullous
Ciprofloxacin-induced bullous pemphigoid (Kimyai-Asadi et al) (Letter). 2000;42:847
IgG4 and IgE are the major immunoglobulins targeting the NC16A domain of BP180 in bullous pemphigoid: serum levels of these immunoglobulins reflect disease activity (Döpp et al). 2000;42:577-83
Lichen planus pemphigoides with IgG autoantibodies to the 180 kd bullous pemphigoid antigen (type XVII collagen) (Hsu et al). 2000;42:136-41 (Brief rep.)
Screening for azathioprine toxicity: a pharmacoeconomic analysis based on a target case (Tavadia et al). 2000;42:628-32

Pemphigus
Antiepiligrin cicatricial pemphigoid (Hsu et al). 2000;42:841-4 (Brief rep.)
Development of pemphigus vulgaris in a patient with pemphigus foliaceus: antidesmoglein antibody profile shift confirmed by enzyme-linked immunosorbent assay (Ishii et al). 2000;42:859-61 (Case rep.)
Patterns of remission in pemphigus vulgaris (Herbst and Bystryn). 2000;42:422-7
Pemphigus foliaceus successfully treated with mycophenolate mofetil as a steroid-sparing agent (Katz et al). 2000;42:514-15 (Brief rep.)
Pemphigus vulgaris induced by D-penicillamine therapy in a

patient with systemic sclerosis (Shapiro et al). 2000;42:297-9 (Brief rep.)
The use of chlorambucil with prednisone in the treatment of pemphigus (Shah et al). 2000;42:85-8 (Therapy)
UVB-induced acantholysis in endemic pemphigus foliaceus (fogo selvagem) and pemphigus vulgaris (Reis et al). 2000;42:571-6

Penicillamine
Pemphigus vulgaris induced by D-penicillamine therapy in a patient with systemic sclerosis (Shapiro et al). 2000;42:297-9 (Brief rep.)

Penis
Genital melanotic macules: clinical, histological, immunohistochemical, and ultrastructural features (Lenane et al). 2000;42:640-4
Melanoma in situ of the penis (Demitsu et al). 2000;42:386-8 (Case rep.)

Permethrin
A comparative study of oral ivermectin and topical permethrin cream in the treatment of scabies (Usha and Gopalakrishnan Nair). 2000;42:236-40 (Therapy)

Pesticides
Melanoma and pesticides: is there a connection? (Burkhart and Burkhart). 2000;42:302-3 (Ideas)

Photochemotherapy
Alopecia areata update (Madani and Shapiro). 2000;42:549-66 (CME article)
Clearance is not a realistic expectation of psoriasis treatment (Al-Suwaidan and Feldman). 2000;42:796-802 (Therapy)
Photodynamic therapy in dermatology (Kalka et al). 2000;42:389-413 (CME article)
Phototoxicity profile of PUVA-oil bath therapy (Behrens et al). 2000;42:698 (Letter)

Photopatches
Photopatch testing: the 12-year experience of the German, Austrian, and Swiss Photopatch Test Group (Neumann et al). 2000;42:183-92

Photopheresis
Evidence is lacking for a synergistic or additive effect of combination extracorporeal photopheresis with interferon alfa for cutaneous T-cell lymphoma (Zackheim) (Letter) (Fimiani et al) (Reply). 2000;42:1087-8-1088

Photosensitivity disorder
Hydroa vacciniforme: A clinical and follow-up study of 17 cases (Gupta et al). 2000;42:208-13
Polymorphous light eruption: a clinical, photobiologic, and follow-up study of 110 patients (Boonstra et al). 2000;42:199-207
Subacute cutaneous lupus erythematosus presenting with generalized poikiloderma (Pramatarov et al). 2000;42:286-8 (Brief rep.)
UVA rush hardening for the treatment of solar urticaria (Beissert et al). 2000;42:1030-2 (Therapy)

Phototherapy
Chronic sclerodermic graft-versus-host disease refractory to immunosuppressive treatment responds to UVA_1 phototherapy (Grundmann-Kollmann et al). 2000;42:135-6 (Brief rep.)
Clearance is not a realistic expectation of psoriasis treatment (Al-Suwaidan and Feldman). 2000;42:796-802 (Therapy)
Combination phototherapy of psoriasis with narrow-band UVB irradiation and topical tazarotene gel (Behrens et al). 2000;42:493-5 (Therapy)
Long-term efficacy of medium-dose UVA1 phototherapy in atopic dermatitis (Abeck et al). 2000;42:254-7 (Therapy)
Photodynamic therapy in dermatology (Kalka et al). 2000;42:389-413 (CME article)

Pigmentation disorders
Acquired brachial cutaneous dyschromatosis: a common pigmentary disorder of the arm in middle-aged women (Rongioletti and Rebora). 2000;42:680-4 (Brief rep.)
Clinical and histopathologic characteristics of trichrome vitiligo (Hann et al). 2000;42:589-96
The combination of 2% 4-hydroxyanisole (Mequinol) and 0.01% tretinoin is effective in improving the appearance of solar lentigines and related hyperpigmented lesions in two double-blind multicenter clinical studies (Fleischer et al). 2000;42:459-67
Davener's dermatosis: a variant of friction hypermelanosis (Naimer et al). 2000;42:442-5
Depigmentation therapy in vitiligo universalis with topical 4-methoxyphenol and the Q-switched ruby laser (Njoo et al). 2000;42:760-9
Exogenous ochronosis (Kramer et al). 2000;42:869-71 (Case rep.)
Genital melanotic macules: clinical, histological, immunohistochemical, and ultrastructural features (Lenane et al). 2000;42:640-4
Hypopigmented mycosis fungoides: treatment and a 6½-year follow-up of 9 patients (Akaraphanth et al). 2000;42:33-9
Migratory poliosis: a forme fruste of alopecia areata (Elston et al). 2000;42:1076-7 (Brief rep.)
Pulsed dye laser treatment of port-wine stains in pigmented skin (Sommer and Sheehan-Dare). 2000;42:667-71 (Derm. surgery)
Treatment of generalized vitiligo in children with narrow-band (TL-01) UVB radiation therapy (Njoo et al). 2000;42:245-53 (Therapy)

Pitch tar
Periorbital comedones and their relationship to pitch tar: a cross-sectional analysis and a review of the literature (Adams et al). 2000;42:624-7

Pityriasis rosea
Erythromycin in pityriasis rosea: a double-blind, placebo-controlled clinical trial (Sharma et al). 2000;42:241-4 (Therapy)

Poikiloderma
Subacute cutaneous lupus erythematosus presenting with generalized poikiloderma (Pramatarov et al). 2000;42:286-8 (Brief rep.)

Poliosis
Migratory poliosis: a forme fruste of alopecia areata (Elston et al). 2000;42:1076-7 (Brief rep.)

Polyoxyethylene laurylether
Follicular contact dermatitis due to polyoxyethylene laurylether (Kimura and Kawada). 2000;42:879-80 (Case rep.)

Porphyria cutanea tarda
Management of porphyria cutanea tarda in the setting of chronic renal failure: a case report and review (Shieh et al). 2000;42:645-52 (Therapy)

Potassium iodide
Potassium iodide and the Wolff-Chaikoff effect: relevance for the dermatologist (Heymann). 2000;42:490-2 (Therapy)

Prednisone
Patterns of remission in pemphigus vulgaris (Herbst and Bystryn). 2000;42:422-7
The use of chlorambucil with prednisone in the treatment of pemphigus (Shah et al). 2000;42:85-8 (Therapy)

Pregnancy
Follicular lesions in polymorphic eruption of pregnancy (Borrego) (Letter); (Aronson) (Reply). 2000;42:146
Melanocytic nevus with pregnancy-related changes in size accompanied by apoptosis of nevus cells: a case report (Lee et al). 2000;42:936-8 (Case rep.)
Sex-specific differences in the treatment of severe psoriasis (Hotard et al). 2000;42:620-3

Pressure injury
Computer palms (Lewis et al). 2000;42:1073-5 (Brief rep.)

Prilocaine
Depth of cutaneous analgesia after application of a eutectic mixture of the local anesthetics lidocaine and prilocaine (EMLA cream) (Wahlgren and Quiding). 2000;42:584-8

Protease inhibitors
HIV-1 protease inhibitor–associated partial lipodystrophy: clinicopathologic review of 14 cases (Pujol et al). 2000;42:193-8
Protease inhibitor–associated angiolipomatosis (Dank and Colven). 2000;42:129-31 (Brief rep.)
Protein p16
The expression of $p16^{INK4A}$, the product of a tumor suppressor gene for melanoma, is upregulated in human melanocytes by UVB irradiation (Piepkorn). 2000;42:741-5
Pruritus
Invisible mycosis fungoides: a diagnostic challenge (Pujol et al). 2000;42:324-8 (Case rep.)
Prurit*s (Teufelsdröckh) (Letter); (Bernhard) (Reply). 2000;42:698-9
Pseudomonas aeruginosa
Relapsing Henoch-Schönlein purpura associated with *Pseudomonas aeruginosa* pyelonephritis (Egan et al). 2000;42:381-3 (Case rep.)
Pseudopelade
Pseudopelade of Brocq in beard area (Madani et al). 2000;42:895-6 (Case rep.)
Pseudoxanthoma elasticum
Hyperreactivity of pseudoxanthoma elasticum-affected dermis to vitamin D_3 (Hamamoto et al). 2000;42:685-7 (Brief rep.)
Psoriasis
Clearance is not a realistic expectation of psoriasis treatment (Al-Suwaidan and Feldman). 2000;42:796-802 (Therapy)
Combination phototherapy of psoriasis with narrow-band UVB irradiation and topical tazarotene gel (Behrens et al). 2000;42:493-5 (Therapy)
Effects of administration of a single dose of a humanized monoclonal antibody to CD11a on the immunobiology and clinical activity of psoriasis (Gottlieb). 2000;42:428-35
Exacerbation of pustulosis palmaris et plantaris after topical application of metals accompanied by elevated levels of leukotriene B_4 in pustules (Nakamura et al). 2000;42:1021-5
Guttate psoriasis triggered by perianal streptococcal dermatitis in a four-year-old boy (Herbst et al). 2000;42:885-7 (Case rep.)
Lack of efficacy of topical mycophenolic acid in psoriasis vulgaris (Geilen and Mrowietz). 2000;42:837-40 (Brief rep.)
Pendulaser carbon dioxide resurfacing laser versus electrodesiccation with curettage in the treatment of isolated, recalcitrant psoriatic plaques (Asawanonda et al). 2000;42:660-6 (Derm. surgery)
Pustular psoriasis with a striking linear pattern (Özkaya-Bayazit et al). 2000;42:329-31 (Case rep.)
Sex-specific differences in the treatment of severe psoriasis (Hotard et al). 2000;42:620-3
Sweet's syndrome presenting as palmoplantar pustulosis (Sommer et al). 2000;42:332-4 (Case rep.)
Treatment of chronic plaque-stage psoriasis and psoriatic arthritis with mycophenolate mofetil (Grundmann-Kollmann et al). 2000;42:835-7 (Brief rep.)
Treatment with anti-tumor necrosis factor α (TNF-α) monoclonal antibody dramatically decreases the clinical activity of psoriasis lesions (Oh et al). 2000;42:829-30 (Brief rep.)
In vitro compatibility of tazarotene with other topical treatments of psoriasis (Hecker et al). 2000;42:1008-11
Punch, cutaneous
Surgical pearl: use of the cutaneous punch for the removal of lipomas (Christenson et al). 2000;42:675-6 (Pearls)
Purpura
Relapsing Henoch-Schönlein purpura associated with *Pseudomonas aeruginosa* pyelonephritis (Egan et al). 2000;42:381-3 (Case rep.)
Second case of ranitidine-related toxic epidermal necrolysis in a patient with idiopathic thrombocytopenic purpura (Vélez and Moreno). 2000;42:305 (Letter)
Pustulosis
Pustular tinea pedis (Hirschmann and Raugi). 2000;42:132-3 (Brief rep.)
Sweet's syndrome presenting as palmoplantar pustulosis (Sommer et al). 2000;42:332-4 (Case rep.)
PUVA therapy
Clearance is not a realistic expectation of psoriasis treatment (Al-Suwaidan and Feldman). 2000;42:796-802 (Therapy)
Clinical and histopathologic characteristics of trichrome vitiligo (Hann et al). 2000;42:589-96
Phototoxicity profile of PUVA-oil bath therapy (Behrens et al). 2000;42:698 (Letter)
PUVA-related punctate keratoses of the hands and feet (Turner et al). 2000;42:476-9
Pyelonephritis
Relapsing Henoch-Schönlein purpura associated with *Pseudomonas aeruginosa* pyelonephritis (Egan et al). 2000;42:381-3 (Case rep.)
Pyoderma gangrenosum
Parastomal pyoderma gangrenosum: clinical features and management (Lyon et al). 2000;42:992-1002
Pyoderma gangrenosum and *Chlamydia pneumoniae* infection in a diabetic man: pathogenic role or coincidence? (Vannucci et al). 2000;42:294-7 (Brief rep.)
Topical tacrolimus (FK 506) is effective in the treatment of pyoderma gangrenosum (Richter-Hintz et al) (Letter); (Sauder) (Reply). 2000;42:304-5

Q

Q-switched ruby laser therapy
Depigmentation therapy in vitiligo universalis with topical 4-methoxyphenol and the Q-switched ruby laser (Njoo et al). 2000;42:760-9
Quality of life
A body-weight–independent dosing regimen of cyclosporine microemulsion is effective in severe atopic dermatitis and improves the quality of life (Czech et al). 2000;42:653-9 (Therapy)

R

Racial factors
Annular erythema of Sjögren's syndrome in a white woman (Haimowitz et al). 2000;42:1069-73 (Brief rep.)
Caliper-measured skin thickness is similar in white and black women (Whitmore and Glavan). 2000;42:76-9
Radiation
The radiation accident in Georgia: clinical appearance and diagnosis of cutaneous radiation syndrome (Gottlöber et al). 2000;42:453-8
Radioimmunoassay
Liver biopsies and methotrexate: a time for reconsideration? (Zachariae et al). 2000;42:531-4 (Controversies)
Ranitidine
Second case of ranitidine-related toxic epidermal necrolysis in a patient with idiopathic thrombocytopenic purpura (Vélez and Moreno). 2000;42:305 (Letter)
Reconstructive surgical procedures
Virtual reality for dermatologic surgery: virtually a reality in the 21st century (Gladstone et al). 2000;42:106-12 (Derm. surgery)
Rhinophyma
The clinicopathologic spectrum of rhinophyma (Aloi et al). 2000;42:468-72
Rosacea
The clinicopathologic spectrum of rhinophyma (Aloi et al). 2000;42:468-72
Does *Helicobacter pylori* eradication treatment reduce the severity of rosacea? (Bamford et al) (Letter); (Utaş et al) (Reply). 2000;42:535-6

Does *Helicobacter pylori* eradication treatment reduce the severity of rosacea? (Hirschmann) (Letter) (Utaş et al) (Reply). 2000;42:537-9

Helicobacter pylori: related to rosacea? (Grilli and Fernández) (Letter); (Utaş et al) (Reply). 2000;42:536-7

S

Sarcoidosis

Sarcoidosis of the scalp: a case series and review of the literature (Katta et al). 2000;42:688-92 (Brief rep.)

Scabies

A comparative study of oral ivermectin and topical permethrin cream in the treatment of scabies (Usha and Gopalakrishnan Nair). 2000;42:236-40 (Therapy)

Scalp

Sarcoidosis of the scalp: a case series and review of the literature (Katta et al). 2000;42:688-92 (Brief rep.)

Schistosomiasis

Cutaneous schistosomiasis: report of a case and review of the literature (Davis-Reed and Theis). 2000;42:678-80 (Brief rep.)

Scleroderma, circumscribed

Increased serum levels of soluble vascular cell adhesion molecule 1 and E-selectin in patients with localized scleroderma (Yamane et al). 2000;42:64-9

Scleroderma, systemic

Pemphigus vulgaris induced by D-penicillamine therapy in a patient with systemic sclerosis (Shapiro et al). 2000;42:297-9 (Brief rep.)

Quantitative nailfold capillary microscopy findings in patients with acrocyanosis compared with patients having systemic sclerosis and control subjects (Monticone et al). 2000;42:787-90

Scleroderma-like reaction induced by uracil-tegafur (UFT), a second-generation anticancer agent (Kono et al). 2000;42:519-20 (Brief rep.)

Serum levels of tissue inhibitor of metalloproteinases 2 in patients with systemic sclerosis (Yazawa et al). 2000;42:70-5

Scleromyxedema

Scleromyxedema: possible association with seminoma (Alfadley et al). 2000;42:875-8 (Case rep.)

Scleromyxedema with dermato-neuro syndrome (Gonzalez et al). 2000;42:927-8 (Case rep.)

Scopulariopsis brevicaulis

Onychomycosis caused by nondermatophytic molds: clinical features and response to treatment of 59 cases (Tosti et al). 2000;42:217-24

Sebaceous glands

Intralesional electrodesiccation of sebaceous hyperplasia (Bader and Scarborough). 2000;42:127-8 (Pearls)

Tumors arising in nevus sebaceus: a study of 596 cases (Cribier et al). 2000;42:263-8 (Dermatopathology)

Self-assessment

Self-assessment examinations. 2000;42:151-4, 543-5, 851-4

Self-assessment examinations: answers. 2000;42:155-8, 546-8, 855-8

Seminoma

Scleromyxedema: possible association with seminoma (Alfadley et al). 2000;42:875-8 (Case rep.)

Serologic tests

A practical guide for serologic evaluation of autoimmune connective tissue diseases (Mutasim and Adams). 2000;42:159-74 (CME article)

Sex factors

Sex-specific differences in the treatment of severe psoriasis (Hotard et al). 2000;42:620-3

Sjögren's syndrome

Annular erythema of Sjögren's syndrome in a white woman (Haimowitz et al). 2000;42:1069-73 (Brief rep.)

Skin

Blue in the skin (Reisfeld). 2000;42:597-605

Caliper-measured skin thickness is similar in white and black women (Whitmore and Glavan). 2000;42:76-9

Update on familial cancer syndromes and the skin (Tsao). 2000;42:939-69 (CME article)

Skin aging

The combination of 2% 4-hydroxyanisole (Mequinol) and 0.01% tretinoin is effective in improving the appearance of solar lentigines and related hyperpigmented lesions in two double-blind multicenter clinical studies (Fleischer et al). 2000;42:459-67

Epidemiologic determinants of skin photoaging: baseline data of the SU.VI.MAX. cohort (Malvy et al). 2000;42:47-55

Skin cancer

Basal cell carcinoma and risk of subsequent malignancies: a cancer-registry based study in southwest England (Bower et al). 2000;42:988-91

The dermatologist, genetic counseling, and cancer-associated genodermatoses (Lynch and Fusaro). 2000;42:1081-6 (Editorial)

Detection of artificial changes in mole size by skin self-examination (Muhn et al). 2000;42:754-9

Management of melanoma with a multidisciplinary melanoma clinic model (Johnson et al). 2000;42:820-6 (Special report)

The risk of progression to invasive disease (Glogau). 2000;42:S23-4

The scientific basis of skin cancer (Leffel). 2000;42:S18-22

Skin cancer in kidney transplant recipients and different long-term immunosuppressive therapy regimens (Jensen et al). 2000;42:307 (Letter)

Squamous cell carcinoma, not basal cell carcinoma, is the most common cancer in humans (Brand and Ackerman). 2000;42:523-6 (Opinion)

Unplanned incomplete Mohs micrographic surgery (Madani et al). 2000;42:814-19 (Derm. surgery)

Unusual presentation of Merkel cell carcinoma (Chiarelli et al). 2000;42:366-70 (Case rep.)

Skin diseases

Altered basic fibroblast growth factor expression in common epidermal neoplasms: examination with in situ hybridization and immunohistochemistry (Arbiser et al). 2000;42:973-7

Antiepiligrin cicatricial pemphigoid (Hsu et al). 2000;42:841-4 (Brief rep.)

Cutaneous schistosomiasis: report of a case and review of the literature (Davis-Reed and Theis). 2000;42:678-80 (Brief rep.)

Epidemiologic determinants of skin photoaging: baseline data of the SU.VI.MAX. cohort (Malvy et al). 2000;42:47-55

Management of cutaneous verruciform xanthoma (Connolly et al). 2000;42:343-7 (Case rep.)

Orf contamination may occur during religious events (Ghislain et al) (Letter). 2000;42:848

Parastomal pyoderma gangrenosum: clinical features and management (Lyon et al). 2000;42:992-1002

Patch granuloma annulare: clinicopathologic study of 6 patients (Mutasim and Bridges). 2000;42:417-21

Pustular psoriasis with a striking linear pattern (Özkaya-Bayazit et al). 2000;42:329-31 (Case rep.)

Skin neoplasms

An unusually aggressive trichoblastoma (Cowen et al). 2000;42:374-7 (Case rep.)

Malignant melanoma arising in a seborrheic keratosis (Zabel et al). 2000;42:831-3 (Brief rep.)

Skin transplantation

The use of full-thickness skin grafts to repair nonperforating nasal defects (Gloster). 2000;42:1041-50 (Derm. surgery)

Smoking

Patients with cutaneous lupus erythematosus who smoke are less responsive to antimalarial treatment (Jewell and McCauliffe). 2000;42:983-7

Somatoform disorders
Rate of body dysmorphic disorder in dermatology patients (Phillips et al). 2000;42:436-41
Sonography
The radiation accident in Georgia: clinical appearance and diagnosis of cutaneous radiation syndrome (Gottlöber et al). 2000;42:453-8
Special article
Special article. 2000;42:113-23
Special report
Special reports. 2000;42:820-6, 1051-66
Squamous cell carcinoma; *see* Carcinoma, Keratosis
Stomas
Parastomal pyoderma gangrenosum: clinical features and management (Lyon et al). 2000;42:992-1002
Peristomal allergic contact dermatitis due to Gantrez in Stomahesive paste (Scalf and Fowler). 2000;42:355-6 (Case rep.)
Store-and-forward technology
Assessment of the accuracy of low-cost store-and-forward teledermatology consultation (High et al). 2000;42:776-83
Streptococcal infections
Guttate psoriasis triggered by perianal streptococcal dermatitis in a four-year-old boy (Herbst et al). 2000;42:885-7 (Case rep.)
Sunburn
From sunlight to actinic keratosis to squamous cell carcinoma (Cohn). 2000;42:143-4 (Commentary)
Host-related and environmental risk factors for cutaneous basal cell carcinoma: evidence from an Italian case-controlled study (Naldi et al). 2000;42:446-52
Summertime sun protection used by adults for their children (Robinson et al). 2000;42:746-53
UVB-induced acantholysis in endemic pemphigus foliaceus (fogo selvagem) and pemphigus vulgaris (Reis et al). 2000;42:571-6
Sunscreening agents
Supplement. 2000;42:S1-S30
Surgical pearls
Surgical pearls. 2000;42:127-8, 280-2, 508-9, 675-6, 827-8, 1067-8
Surgical procedures
Surgical pearl: double nicking of Mohs tissue specimen (Adams and Gloster). 2000;42:1067-8 (Pearls)
Sutures
Surgical pearl: high pressure channeled postoperative wound cleansing (Weber and Moody). 2000;42:280-2 (Pearls)
Sweet's syndrome
Sweet's syndrome in a patient with idiopathic progressive bilateral sensorineural hearing loss (Pharis et al). 2000;42:932-5 (Case rep.)
Sweet's syndrome presenting as palmoplantar pustulosis (Sommer et al). 2000;42:332-4 (Case rep.)
Syphilis
Nodular tertiary syphilis mimicking granuloma annulare (Wu et al). 2000;42:378-80 (Case rep.)

T

Tacrolimus
A case of ichthyosis linearis circumflexa successfully treated with topical tacrolimus (Suga et al). 2000;42:520-2 (Brief rep.)
Topical tacrolimus (FK 506) is effective in the treatment of pyoderma gangrenosum (Richter-Hintz et al) (Letter); (Sauder) (Reply). 2000;42:304
Tattooing
Delayed-hypersensitivity granulomatous reaction induced by blepharopigmentation with aluminum-silicate (Schwarze et al). 2000;42:888-91 (Case rep.)
Tazarotene
Combination phototherapy of psoriasis with narrow-band UVB irradiation and topical tazarotene gel (Behrens et al). 2000;42:493-5 (Therapy)
In vitro compatibility of tazarotene with other topical treatments of psoriasis (Hecker et al). 2000;42:1008-11
Telangiectasis
Treatment of spider veins with the 595 nm pulsed-dye laser (Goldman et al) (Letter). 2000;42:849-50
Teledermatology
Assessment of the accuracy of low-cost store-and-forward teledermatology consultation (High et al). 2000;42:776-83
Teledermatology as a new tool in sub-Saharan Africa: an experience from Tanzania (Schmid-Grendelmeier et al). 2000;42:8335 (Brief rep.)
Teledermatoscopy
Teledermatoscopy in Switzerland: a preliminary evaluation (Braun et al). 2000;42:770-5
Terbinafine
Comparison of terbinafine and griseofulvin in the treatment of tinea capitis (Cáceres-Ríos et al). 2000;42:80-5 (Therapy)
Tinea capitis: a current perspective (Elewski). 2000;42:1-20 (CME article)
Therapy
Therapy. 2000;42:80-8, 236-62, 490-5, 645-59, 796-813, 1026-40
Thrombocytopenia
Residual lesions after Kasabach-Merritt phenomenon in 41 patients (Enjolras et al). 2000;42:225-35
Thrombophilia
Abdominal nodules as a presentation of obstruction of the inferior vena cava and factor V Leiden mutation (García-Doval et al). 2000;42:862-4 (Case rep.)
Thyroid hormones
Potassium iodide and the Wolff-Chaikoff effect: relevance for the dermatologist (Heymann). 2000;42:490-2 (Therapy)
Tinea capitis
Comparison of terbinafine and griseofulvin in the treatment of tinea capitis (Cáceres-Ríos et al). 2000;42:80-5 (Therapy)
Tinea capitis: a current perspective (Elewski). 2000;42:1-20 (CME article). 2000;42:704 (Correction)
Tinea pedis
Pustular tinea pedis (Hirschmann and Raugi). 2000;42:132-3 (Brief rep.)
Tissue inhibitor of metalloproteinases 2 (TIMP-2)
Serum levels of tissue inhibitor of metalloproteinases 2 in patients with systemic sclerosis (Yazawa et al). 2000;42:70-5
Tomography, emission-computed
The value of positron emission tomography scanning in the detection of subclinical metastatic melanoma (Acland et al). 2000;42:606-11
Tongue
Madelung's disease involving the tongue (Vargas-Díez et al). 2000;42:511-13 (Brief rep.)
Transplantation
Cutaneous presentation of posttransplant lymphoproliferative disorder (Schumann et al). 2000;42:923-6 (Case rep.)
Skin cancer in kidney transplant recipients and different long-term immunosuppressive therapy regimens (Jensen et al). 2000;42:307 (Letter)
The use of full-thickness skin grafts to repair nonperforating nasal defects (Gloster). 2000;42:1041-50 (Derm. surgery)
Tretinoin
The combination of 2% 4-hydroxyanisole (Mequinol) and 0.01% tretinoin is effective in improving the appearance of solar lentigines and related hyperpigmented lesions in two double-blind multicenter clinical studies (Fleischer et al). 2000;42:459-67
Trichoblastoma
An unusually aggressive trichoblastoma (Cowen et al). 2000;42:374-7 (Case rep.)

Trichophyton tonsurans
Tinea capitis: a current perspective (Elewski). 2000;42:1-20 (CME article)

Tumor necrosis factor α
Treatment with anti-tumor necrosis factor α (TNF-α) monoclonal antibody dramatically decreases the clinical activity of psoriasis lesions (Oh et al). 2000;42:829-30 (Brief rep.)

U

Ultraviolet rays
Epidemiologic determinants of skin photoaging: baseline data of the SU.VI.MAX. cohort (Malvy et al). 2000;42:47-55
Isotretinoin improves the appearance of photodamaged skin: results of a 36-week, multicenter, double-blind, placebo-controlled trial (Maddin et al). 2000;42:56-63
Photopatch testing: the 12-year experience of the German, Austrian, and Swiss Photopatch Test Group (Neumann et al). 2000;42:183-92

Ultraviolet therapy
Chronic sclerodermic graft-versus-host disease refractory to immunosuppressive treatment responds to UVA_1 phototherapy (Grundmann-Kollmann et al). 2000;42:135-6 (Brief rep.)
Long-term efficacy of medium-dose UVA1 phototherapy in atopic dermatitis (Abeck et al). 2000;42:254-7 (Therapy)
PUVA-related punctate keratoses of the hands and feet (Turner et al). 2000;42:476-9
UVA rush hardening for the treatment of solar urticaria (Beissert et al). 2000;42:1030-2 (Therapy)

Uracil-tegafur
Scleroderma-like reaction induced by uracil-tegafur (UFT), a second-generation anticancer agent (Kono et al). 2000;42:519-20 (Brief rep.)

Urticaria
UVA rush hardening for the treatment of solar urticaria (Beissert et al). 2000;42:1030-2 (Therapy)

UVB therapy
The expression of $p16^{INK4A}$, the product of a tumor suppressor gene for melanoma, is upregulated in human melanocytes by UVB irradiation (Piepkorn). 2000;42:741-5
Polymorphous light eruption: a clinical, photobiologic, and follow-up study of 110 patients (Boonstra et al). 2000;42:199-207
Treatment of generalized vitiligo in children with narrow-band (TL-01) UVB radiation therapy (Njoo et al). 2000;42:245-53 (Therapy)

V

Vancomycin
Drug-induced linear IgA bullous dermatosis after vancomycin discontinuance in a patient with renal insufficiency (Klein and Callen). 2000;42:316-23 (Case rep.)

Vascular cell adhesion molecule-1
Increased serum levels of soluble vascular cell adhesion molecule 1 and E-selectin in patients with localized scleroderma (Yamane et al). 2000;42:64-9

Vascular diseases
Vascular tumors and vascular malformations: evidence for an association (Garzon et al). 2000;42:275-9 (Clin. rev.)

Vascular malformation
Angioma serpiginosum with extensive cutaneous involvement (Katta and Wagner). 2000;42:384-5 (Case rep.)

Veins
Treatment of spider veins with the 595 nm pulsed-dye laser (Goldman et al) (Letter). 2000;42:849-50

Vena cava, inferior
Abdominal nodules as a presentation of obstruction of the inferior vena cava and factor V Leiden mutation (García-Doval et al). 2000;42:862-4 (Case rep.)

Virtual reality
Virtual reality for dermatologic surgery: virtually a reality in the 21st century (Gladstone et al). 2000;42:106-12 (Derm. surgery)

Vitamin D_3
Hyperreactivity of pseudoxanthoma elasticum–affected dermis to vitamin D_3 (Hamamoto et al). 2000;42:685-7 (Brief rep.)

Vitiligo
Clinical and histopathologic characteristics of trichrome vitiligo (Hann et al). 2000;42:589-96
Depigmentation therapy in vitiligo universalis with topical 4-methoxyphenol and the Q-switched ruby laser (Njoo et al). 2000;42:760-9
Treatment of generalized vitiligo in children with narrow-band (TL-01) UVB radiation therapy (Njoo et al). 2000;42:245-53 (Therapy)

Vulva
Genital melanotic macules: clinical, histological, immunohistochemical, and ultrastructural features (Lenane et al). 2000;42:640-4

Vulvitis circumscripta plasmacellularis
Vulvitis circumscripta plasmacellularis mimicking child abuse (Albers et al). 2000;42:1078-80 (Brief rep.)

W

Warts
Squaric acid immunotherapy for warts in children (Silverberg et al). 2000;42:803-8 (Therapy)

Wolff-Chaikoff effect
Potassium iodide and the Wolff-Chaikoff effect: relevance for the dermatologist (Heymann). 2000;42:490-2 (Therapy)

Women
Lobular capillary hemangiomas: an epidemiological report, with emphasis on cutaneous lesions (Harris et al). 2000;42:1012-6

Wounds
Surgical pearl: high pressure channeled postoperative wound cleansing (Weber and Moody). 2000;42:280-2 (Pearls)

X

Xanthoma, verruciform
Management of cutaneous verruciform xanthoma (Connolly et al). 2000;42:343-7 (Case rep.)